
Somnos "one of the safest of all sedatives" "a sedatives"





SOMNOS is well tolerated even by the older patient

Somnos induces quiet, restful sleep — without after-effects. Somnos contains only chloral hydrate - "an effective somnifacient which merits wider use."3

Within an hour of taking Somnos, your patient usually will be asleep. It will be a quiet, restful sleep, from which he will awaken refreshed - without unpleasant after-effects.

When necessary, the person who has taken

Somnos may be awakened easily. Somnos is especially valuable for the insomnia of the elderly,4 as well as for cardiac and psychiatric patients.2



Philadelphia 1, Pa. DIVISION OF MERCK & CO., INC.

References: 1. Mod. Med. 19:59, 1951. 2. West Virginia M. J. 49:292, 1953. 3. Pharmacology and Therapeutics, Phila., Lea & Febiger, 1954, p. 146. 4. Geriatrics 9:303, 1954.

Lift the depressed patient up to normal without fear of overstimulation . . .

with new

A HAPPY MEDIUM

IN PSYCHOMOTOR

STIMULATION



• Boosts the spirits, relieves physical fatigue and mental depression . . . yet has no appreciable effect on blood pressure, pulse rate or appetite.

Ritalin is a mild, safer central-nervous-system stimulant which gently improves mood, relieves psychogenic fatigue "without let-down or jitters . . ." and counteracts oversedation caused by barbiturates, chlorpromazine, rauwolfia, and antihistamines.

Ritslin is "a more effective and less over-reactive drug than amphetamine or its derivatives." It does not produce the "palpitation, nervousness, jitteriness, or undue pressure in the chest area... so frequently mentioned by patients on [dextro-amphetamine sulfate]."


Dosage: 5 to 20 mg. b.i.d. or t.i.d., adjusted to the individual.

RITALIN® hydrochloride (methyl-phenidylacetate hydrochloride CIBA) References: 1. Pocock, D. G.: Personal communication. 2. Harding, C. W.: Personal communication. 3. Hollander, W. M.: Personal communication.


Supplied: Tablets, 5 mg. (yellow) and 10 mg. (blue); bottles of 100, 500 and 1000. Tablets, 20 mg. (peach-colored); bottles of 100 and 1000.








close-up on Medicine





Smith, Kline & French Laboratories, Philadelphia The California Medical Association again will present close-up views of "live" medical clinics via color television, April 30 and May 1, to physicians attending the Eighty-Fifth Annual Session in Los Angeles. Through the versatile eye of the camera, viewers will see clinical material ordinarily impossible to present before a mass audience. More than 1,000 physicians at each colorcast will be shown items varying in size from a minute lesion to an iron lung on two 4½ by 6 foot color screens located in the Embassy Room of the Ambassador Hotel.



Vitamin B Complex

Each teaspoonful (4 cc.) contains:

- Thiamine HCl (B₁) 2 mg.
- * Riboflavin (B₂) 2 mg.
- Niacinamide 10 mg.
- Folic Acid 0.2 mg.
- Pyridoxine HCl (B₄) 0.2 mg.
- * Pantothenic Acid 2 mg.
- * Choline 20 mg.
- * Inositol 10 mg.
- Soluble Liver Fraction 470 mg
- * Vitamin Bis 5 mcgm.

Provides the necessary good taste "plus" to a complete B complex formula with B₁₂ and Folic Acid.

A flavor that does not "wear thin" or go "flat" over the prolonged dose regimen necessary with vitamin supplementation.

LEDERPLEX is also available in Capsule, Tablet and Parenteral forms.

EDERLE LABORATORIES DIVISION AMERICAN Command company PEARL RIVER, NEW YORK

index to California Medicine advertisers

Abbott Laboratories16, 17, Inser		Lederle Laboratories	
Alexander Sanitarium Incorporated	22	Division American Cyanamid	
Alum Rock Hospital	46	Company7, 25, 36, 37, 42, 46, 58, 80, 96	, 97
American Meat Institute	75	Leeming & Co., Inc., Thos	. 78
Ames Company, Inc		Lilly and Company, Eli52	, 89
Arlington-Funk Laboratories, division of U. S		Livermore Sanitarium and Psychiatric	
Vitamin Corporation	99	Clinic, The	. 62
Armour Laboratories, The		Loma Linda Food Company	. 79
A Division of Armour and Company	35, 94		
Ayerst Laboratories		McCall's Desert-Air Lamps	98
•		McNeil Laboratories, Inc84	
Baker Laboratories, Inc., The	30	Mead Johnson & Company3rd Co	•
Benjamin, M. J		Merrell Company, Wm. S., The 27	
Boyle & Company		and the constraint of the cons	,
Brown & Williamson Tobacco Corp		National Audubon Society	
Burroughs Wellcome & Co. (U.S.A.) Inc	71	National Drug Company, The	
		Nestlé Company, Inc., The	
Ciba Pharmaceutical Products, Inc	1, 90	New York Polyclinic, The	. 26
Classified Advertisements	88		
Coca-Cola Company, The	22	Officers of the California Medical Association 2,	4. 6
Compton Sanitarium	26	,	•
Cook County Graduate School of Medicine	58	Parks Davis & Company	C E 7
Corn Products Refining Company	33	Parke, Davis & Company	
Cutter Laboratories4t	h Cover	Pasadena Research Laboratories, Inc	
		Persón & Covey	. 50
Dallons Laboratories, Inc	02	Pfizer Laboratories, Division, Chas. Pfizer	
		& Co., Inc	•
Desitin Chemical Company		Physicians Casualty and Health Associations	
Devereux Foundation, The		Pottenger Sanatorium and Clinic, The	
Doctors Business Bureau, The	70	Pro-Acet, Inc.	. 74
•		Propper Manufacturing	
Eaton Laboratories		Company, IncInsert 6	8-69
Endo Laboratories Inc	47		
		Raleigh Hills Sanitarium, Inc.	. 38
Foot-so-Port Shoe Company	74	Rare-Galen Division of White Laboratories, Inc.	. 51
2 000 00 1 010 51000 00.10pa.i.,		Riker Laboratories, Inc.	. 9
	47	Roerig and Company, J. B64	1, 65
Garden Grove Sanitarium	40		
Geigy Pharmaceuticals, Division of	7.4	Sanborn Company	01
Geigy Chemical Corporation		Schmid, Inc., Julius	
Greens' Eye Hospital	50	Searle & Co., G. D.	
		Sharp & Dohme, Division of Merck	
Hobart Laboratories, Incorporated	32	& Co., Inc2nd Cover, 20, 21, 24, 45, 69	
Hoffmann-La Roche Inc	41, 76		
Horlicks Corporation	3	Smith, Kline & French Laboratories	1, 07
		Squibb & Sons, E. R., Division of	
Ingram Incorporated	30	Mathieson Chemical Corporation	
International Minerals &		Stacey's	
Chemical Corporation	28. 20	Stuart Company, The	. 40
Irwin, Neisler & Company	•		
Living records & Company	T U	Tutag and Company, S. J	
		Twin Pines Neuropsychiatric Sanitarium	38
Kings View Homes			
Knox Gelatine Company, Inc., Chas. B	73	Upjohn Company, The	13
Lady Lois Custom Catered Ice Cream	62	Winthrop Laboratories Inc	.100
Lakeside Laboratories, Inc		Wyeth Incorporated23	
Luncoute Luvviutorico, IIIC		,, , , , , , , , , , , , , , , , , , ,	., ••

New Evidence on

confirms and defines superiority over other Rauwolfia preparations in the treatment of HYPERTENSION

- Rauwiloid represents the balanced, mutually potentiated actions of several Rauwolfia alkaloids, of which reserpine and the equally antihypertensive rescinnamine have been isolated.
- Hence, reserpine is not the total active antihypertensive principle of the rauwolfia plant.
- Rauwiloid is freed of the undesirable alkaloids of the whole rauwolfia root. Recent investigations confirm the desirability of Rauwiloid (because of the balanced action of its contained alkaloids) over single alkaloidal preparations; "...mental depression...was...less frequent with alseroxylon..."2

The dose-response curve of Rauwiloid is flat, and its dosage is uncomplicated and easy to prescribe...merely two 2mg. tablets at bedtime.



^{1.} Cronheim, G., and Toekes, I.M.; Comparison of Sedative Properties of Single Alkaloids of Rauwolfia and Their Mixtures, Meet. Am. Soc. Pharmacol. & Exper. Therap., Iowa City, Iowa, Sept. 5, 1955.

^{2.} Moyer, J.H.; Dennis, E., and Ford, R.: Drug Therapy (Rauwolfia) of Hypertension II. A Comparative Study of Different Extracts of Rauwolfia When Each Is Used Alone (Orally) for Therapy of Ambulatory Patients with Hypertension, A.M.A. Arch. Int. Med. 96:530 (Oct.) 1955.




Before prescribing 'Thorazine', it is important that the physician be fully conversant with our literature, particularly those parts of it dealing with administration, dosage, side effects, cautions and contraindications.

"Thorazine" is available, as the hydrochloride, in 10 mg., 25 mg., 50 mg., 100 mg. and 200 mg. tablets; 25 mg. (1 cc.) and 50 mg. (2 cc.) ampuls; and syrup (10 mg./5 cc.); and, as the base, in 25 mg. and 100 mg. suppositories.

for emergencies—always carry 'Thorazine' Ampuls in your bag

Smith, Kline & French Laboratories, Philadelphia

*T.M. Reg. U.S. Pat. Off. for chlorpromazine, S.K.F.



12

Ulcer protection that lasts all night:

Pamine*

T	a	0	et	ts
7 '	'_		~4	۱ _
	7			.5
_	-	_		

One tablet one-half hour before meals, and 1 to 2 tablets at bedtime.

Supplied: Bottles of 100 and 500 tablets

Syrup

Dosage:

1 to 2 teaspoonfuls three or four times daily.

Supplied: Bottles of 4 fluidounces

Sterile Solution


Dosage:

0.25 to 1.0 mg. (¼ to 1 cc.), at intervals of 6 to 8 hours, subcutaneously or intramuscularly.

Supplied: Vials of 1 cc.

*TRADEMARK, REG. U. S. PAT. OFF.—THE UPJOHN BRAND OF METHSCOPOLAMINE

The Upjohn Company, Kalamazoo, Michigan



in arthritis

and

allied disorders...

nonhormonal anti-arthritic

BUTAZOLIDIN°

brand of phenylbutazone)

relieves pain • improves function • resolves inflammation

Employing the serum protein-polysaccharide ratio (PR) as an objective criterion of rheumatoid activity, it has again been shown that BUTAZOLIDIN "...produces more than a simple analgesic effect in rheumatoid arthritis."

Clinically, the potency of BUTAZOLIDIN is reflected in the finding that 57.6 per cent of patients with rheumatoid arthritis respond to the extent of "remission" or "major improvement."²

Long-term study has now shown that the failure rate with BUTAZOLIDIN in rheumatoid arthritis, and particularly in rheumatoid spondylitis, is significantly lower than with hormonal therapy.³

(1) Payne, R. W.; Shetlar, M. R.; Farr, C. H.; Hellbaum, A. A., and Ishmael, W. K.: J. Lab. & Clin. Med. 45:331, 1955. (2) Bunim, J. J.; Williams, R. R., and Black, R. L.: J. Chron. Dis. 1:168, 1955. (3) Holbrook, W. P.: M. Clin. North America 39:405, 1955.

BUTAZOLIDIN® (brand of phenylbutazone). Red coated tablets of 100 mg.

BUTAZOLIDIN being a potent therapeutic agent, physicians unfamiliar with its use are urged to send for literature before instituting therapy.

GEIGY PHARMACEUTICALS Division of Geigy Chemical Corporation
220 Church Street, New York 13, N. Y.

In Canada: Geigy Pharmaceuticals, Montreal



8/12/55	DISCHARGE SUMMARY	
0,12,55	DISCHARGE SUMMAKI	
	Patient white female and 30 outward beautel with	
	Patient, white female, age 39, entered hospital with a	-
	diagnosis of lymphoma, proved to be lymphosarcoma by biopsy.	
	propsy.	-
	Initially about transfel by Y and disting all all all a	
	Initially she was treated by X-ray radiation, adrenal cortical	
•	hormone and an antinauseant. During this regimen she	
-	developed a generalized rash which became infected. This	-
	was a drug reaction with infection due either to (1) scratching	
Y	or (2) a low WBC count due to radiation. A number of boil-	
	like lesions appeared over the body.	
	On 8/4 penicillin was started in a dosage of 600,000 units	
	daily. Penicillin was continued for six days during which	
	time the pyoderma became worse.	
		ļ
	Aspirated material from the lesions yielded hem. S. aureus,	
	coag. + and the following sensitivities were obtained:	
	penicillin, more than 10 units; erythromycin, 10 mcg.;	
	tetracycline, 50 mcg. When these results became available	
	penicillin was discontinued.	112
	On 8/9, erythromycin was started in a dosage of 200 mgm.	
	q.i.d. Marked improvement was noted very soon and by	
	8/12 almost complete healing of all lesions had occurred.	
	Patient was afebrile throughout.	
<u> </u>		
	Final Diagnosis: (1) lymphosarcoma (2) secondary pyoderma	
	due to hemolytic Staphylococcus aureus.	
	Result: complete healing of secondary pyoderma with	396 76
	erythromycin.	2 1997
		<u> </u>

specific against coccic infections

Now, you can prescribe an antibiotic (Filmtab ERYTHROCIN) that provides specific therapy against staph-, strep- or pneumococci. Since these organisms cause most bacterial respiratory infections (and since they are the very organisms most sensitive to ERYTHROCIN) doesn't it make good sense to prescribe ERYTHROCIN when the infection is coccic?



Erythrocin (Erythromycin, Abbott)
STEARATE

with little risk of serious side effects

Since ERYTHROCIN is inactive against gramnegative organisms, it is less likely to alter intestinal flora—with an accompanying low incidence of side effects. Also, your patients seldom get the allergic reactions sometimes seen with penicillin. Or loss of accessory vitamins during ERYTHROCIN therapy. Filmtab ERYTHROCIN (100 and 250 mg.), bottles of 25 and 100.





®Filmtab-Film sealed tablets; patent applied for.



new broad-spectrum BRAND OF TETRACYCLINE

homogenized mixture 125 mg. tetracycline per 5 cc. teaspoonful. Bottles of 2 fl. oz. and 1 pint, packaged ready to use.

READY TO USE No reconstitution required.

READILY ACCEPTED Unusual, delicious fruit flavors.

RAPIDLY ABSORBED Fine particle dispersion - therapeutic blood levels within one hour.

RAPIDLY EFFECTIVE Fast, troublefree tetracycline for control of the widest range of infections.

also available: vitamin-fortified TETRABON SFt (brand of tetracycline hydrochloride with vitamins) homogenized mixture: 125 mg. tetracycline per 5 cc. teaspoonful, plus vitamins of the B complex, C and K recommended for nutritional support in the stress of prolonged infection. Bottles of 2 fl. oz., packaged ready

to use.

*Trademark †Trademark for Pfizer-originated, vitamin-fortified antibiotics



PFIZER LABORATORIES, Division, Chas. Pfizer & Co., Inc., Brooklyn 6, N. Y.

TETRABON SF-Each 5 cc. teaspoonful provides 125 mg. of tetracycline plus the following formula: Pyridoxine hydrochloride ... 12.5 mg.
Calcium pantothenate 2.5 mg. Folic acid

Menadione (vitamin K analog)

Vitamin B₁₂ Vitamin C as palmitate. Thiamine hydrochloride Bibofiavin 87.5 mg.



benefits of prednisone and prednisolone plus positive antacid action to minimize gastric distress...

A reportedly higher incidence of gastric distress in patients receiving the newer steroids prednisone and prednisolone indicates the desirability of co-administering non-systemic antacids.¹

To help the physician cope with this problem of gastric distress which might otherwise become an obstacle to therapy with the newer steroids . . . Multiple Compressed Tablets 'Co-Deltra' (Prednisone Buffered)

'Co-Deltra' and 'Co-Hydeltra' are trade-marks of Merck & Co., INC.

and 'Co-Hydeltra' (Prednisolone Buffered) are now available.

'Co-Deltra' and 'Co-Hydeltra' are now available in bottles of 30 on your prescription. Each Multiple Compressed Tablet contains:

Prednisone or Prednisolone, 5 mg.; 300 mg. of dried aluminum hydroxide gel, U.S.P., and 50 mg. of magnesium trisilicate.

1. Bollet, A. J., Black, R., and Bunim, J. J.: *J.A.M.A.* **158**: **459**, June 11, 1955.

CO-Hydelta Prednisolone Buffered



Philadelphia 1, Pa. Division of Merck & Co., Inc.

pronounced

MUSCLE-RELAXING ACTION



MEPROBAMATE

(2-methyl-2-n-propyl-1,3-propanediol dicarbamate) LICENSED UNDER U.S. PATENT NO. 2,724,720

*

For significant relief in myositis, osteoarthritis, backstrain, and related conditions marked by:

- Muscle spasm
- Stiffness and tenderness
- Restriction of motion

As a superior muscle-relaxant, EQUANIL offers predictable action and full effectiveness on oral administration. It does not disturb autonomic function and is relatively free from gastric and other significant side-effects. Its anti-anxiety property provides important correlative value.

Usual dosage: 1 tablet t.i.d. The dose may be adjusted either up or down, according to the clinical response of the patient.

Supplied:

Tablets, 400 mg., bottles of 50.



anti-anxiety factor with muscle-relaxing action ... relieves tension



A nonmercurial <u>oral</u> diuretic. Acts by inhibiting the enzyme carbonic anhydrase. Produces prompt, ample diuresis lasting from six to twelve hours. Morning dosage allows an uninterrupted night's sleep. Well-suited to long-term use. Nontoxic. The most widely prescribed drug of its kind!

Indicated in cardiac edema, epilepsy, acute glaucoma, premenstrual tension, edema associated with toxemia of pregnancy and edema caused by certain types of electrolytic imbalance. Offered in scored tablets of 250 mg. for oral use, and in ampuls of 500 mg. for parenteral use in critical cases.

LEDERLE LABORATORIES DIVISION AMERICAN Cyanamid COMPANY PEARL RIVER, NEW YORK



Bantyl

when other antispasmodics have failed

204 OF 240 PATIENTS GET "GRATIFYING TO COMPLETE" RELIEF 1-3

240 PATIENTS—in three separate groups—with a variety of functional disorders, were placed on Bentyl therapy. Patients selected for treatment with Bentyl had not received satisfactory relief from other antispasmodic drugs.

204 PATIENTS experienced "gratifying to complete" relief of their symptoms... there was virtual freedom from side effects. The consensus of the three clinicians who conducted the individual studies was: "this compound (Bentyl) compares more than favourably to any other antispasmodic and it should be included in our therapeutic arsenal."

For SAFE, EFFECTIVE RELIEF of nervous gut — prescribe Bentyl, 2 caps. t.i.d.

1. Hock, C.W.; J. M. A. Georgia 40:22-4, 1951. 2. Chamberlain, D. T.: Gastroent. 17:224-5, 1951. 3. Derome, L.: Canadian Med. Assn. J. 69:532, 1953.

 $Rx\ Information$

Bentyl

Bentyl affords direct (musculotropic) and indirect (neurotropic) spasmolytic action. Bentyl provides complete and comfortable relief in smooth muscle spasm; particularly in functional G.I. disorders, in irritable colon, pylorospasm, biliary tract dysfunction and spastic constipation.

Composition:

Each capsule or teaspoonful (5 cc.) contains 10 mg. of Bentyl (dicyclomine hydrochloride).

Bentyl with Phenobarbital adds 15 mg. of phenobarbital to the preceding formula.

Bentyl Repeat Action with Phenobarbital Tablets contain 10 mg. of Bentyl and 15 mg. of phenobarbital in the outer coating, and 10 mg. of Bentyl in the enteric-coated core.

Dosage:

Adults - 2 capsules or 2 teaspoonfuls of syrup, t.i.d. before or after meals. If necessary repeat at bedtime.

Bentyl Repeat Action with Phenobarbital Tablets — 1 or 2 tablets at bedtime, or every eight hours as needed. In Infant Colic — ½ to 1 teaspoonful, ten to fifteen minutes before each feeding.

Supplied:

Bentyl—In bottles of 100 and 500 blue capsules, and as Bentyl Syrup.


Bentyl with Phenobarbital—In bottles of 100 and 500 blue-and-white capsules, and Bentyl Syrup.

Bentyl Repeat Action with Phenobarbital Tablets-bottles of 100 and 500.

THE WM. S. MERRELL COMPANY New York • CINCINNATI • St. Thomas, Ontario



Another exclusive product of original Merrell research.



escape



Betayerine... for an escape from fatigue... in your aging patients.

Betasyamine carries its therapeutic attack to the very source of a basic biochemical inadequacy, typical of your chronically fatigued and tense aging patients.

Carlson¹ relates the aging process to progressively impaired neuromuscular function; Dixon² links muscular decline with chronic tension and fatigue brought about by depleted values of phosphocreatine. Betasyamine is not a sedative, not a stimulant drug. It is true replacement therapy. Betasyamine contains betaine and glycocyamine, precursors of phosphocreatine. In this manner, it is believed that Betasyamine re-energizes the tense, exhausted patient. By its purely physiologic action, Betasyamine offers a new-found means to meet the problem of autumnal years, whether they be environmental, physical, emotional.

With Betasyamine, escape from fatigue in aging patients is achieved; a new will to keep going, stronger than ever.


Average Dosage: I Effervescent Packet; I tablespoonful Emulsion; or 5 Tablets three times daily at mealtimes.

Supplied: Effervescent Packets (New) — 24's; Emulsion — 16 fl. oz.; Tablets — 200's.

References: 1. Carlson, A. J., in Stieglitz, E. J.: Geriatric Medicine, ed. 3. Philadelphia, J. B. Lippincott Company, 1954, p. 71. • 2. Dixon, H. H.; Peterson, R. D.; Dickel, H. A.; Jones, C. H., and West, E. S.: West J. Surg. 60:327 (July) 1952.

Amino Products Division • International Minerals & Chemical Corporation Chicago • San Francisco • Los Angeles

escape escape



RAUDIXIN

SQUIBB WHOLE ROOT RAUWOLFIA SERPENTINA

in anxiety and tension states...

stable ataractic (tranquilizing) effect without excessive sedation


in hypertension...

stable hypotensive effect without rapid peaks and declines in blood pressure

Systolic Prossure, mm.

DOSAGE: 100 mg. b.i.d. initially; may be adjusted within a range of 50 mg. to 500 mg. daily. Most patients can be adequately maintained on 100 mg. to 200 mg. daily.

SUPPLY: 50 mg. and 100 mg. tablets, bottles of 100, 1000 and 5000.




The hypotensive action of Raudixin is selective for the hypertensive state. For this reason, Raudixin does not significantly affect the blood pressure of normotensive patients.

SQUIBB

'RAUDIXIN'® IS A SQUIBB TRADEMARK

the "poorly functioning" gallbladder

THICK VISCID BILE.
INABILITY OF THE GALLBLADDER
TO EMPTY, AND SPASM
OF THE SPHINCTER OF ODDI
DEMAND
ACTIVE CONTROL MEASURES.




EACH NUBILIC TABLET CONTAINS

Combining hydrocholeretic, antispasmodic and relaxant properties, NUBILIC provides comprehensive therapy for the gallbladder patient.

HOBART LABORATORIES, Incorporated

CHICAGO 10, ILLINOIS, U.S.A.



nudges your patient to sleep

Gentle as a lullaby, this new <u>non</u>barbiturate hypnotic brings tranquil sleep, and is useful even for those patients with liver or kidney disease. 500 mg. capsules, bottles of 100.



Your prescription for SELSUN (and SELSUN is sold only on prescription) will give her lasting relief from the symptoms of seborrheic dermatitis of the scalp or dandruff . . . quickly, easily, economically. Simple and pleasant to use. SELSUN is applied and rinsed out while washing the hair, takes little time. Completely controls 81-87% of seborrheic dermatitis, 92-95% of dandruff cases. In 4-fluidounce

bottles with directions. Abbott

®Selenium Sulfide, Abbott



KARO® SYRUP... meets the need for an easily digested milk modifier

Since the newborn infant has very little ability to digest starchy foods, the carbohydrate requirements of the formula-fed baby are best met with a milk modifier which places a minimum demand on the digestive system.

Karo syrup has been a carbohydrate milk modifier of choice for three generations. Because it is a balanced mixture of dextrins, maltose and dextrose, it enables the feeding of larger amounts of total carbohydrate without producing gastro-intestinal disturbances.

Other characteristics that commend the

use of Karo for milk modification are—the ease with which formulas may be calculated or prepared—its ready availability—and its economy. Light or dark Karo syrup may be used interchangeably with cow's milk or evaporated milk and water. Each fluid ounce (2 tablespoonfuls) yields 120 calories of solid nutrition.







now . . . for better patient response all factors to treat all treatable anemias

ARMATRINSIC

One of the reasons for better patient response . . . Armatrinsic supplies ferrous betainate hydrochloride—the new iron salt with the "built-in" hydrochloric acid, important for proper iron absorption.

JUST 1 ARMATRINSIC CAPSULE B.I.D. SUPPLIES:

Vitamin Bas with Intrinsic Factor Concentrate*	1 U.S.P. Unit (Oral
Liver Fraction 2 N.F. with Duodenum	
(Containing Intrinsic Factor)	
Vitamin B1s Activity Concentrate	
Ferrous Betainate HCI equivalent to	
100 mg. of Elemental Iron	
	666 m
18 cc. of N/10 HCI	
Folic Acid	
Ascorbic Acid U.S.P	
Cobalt Chloride	
Molybdenum	1.5 m
Copper	
Manganese	0.50 m
Zinc	0.50 m
*Unitage established before compounding	
Adults: 2 or 3 capaules daily with meals.	
Battles of 60 consules (small attractive odoriess)	

... and for your anemic patients who prefer liquids ARMATINIC Liquid

For a fast start and vigorous improvement Bottles of 8 and 16 fl.oz.



THE ARMOUR LABORATORIES

A DIVISION OF ARMOUR AND COMPANY . KANKAKEE, ILLINOIS





stands on its record

Eight years of world-wide use ... more than a billion doses administered ... millions of patients restored to normal health, many saved from death—this is the unsurpassed record of AUREOMYCIN* Chlortetracycline.

AUREOMYCIN, the first extensively prescribed broad-spectrum antibiotic, must

certainly rank with the major therapeutic agents available.

Thousands of published clinical trials have established its efficacy in combating many kinds of infection. Thousands of doctors give it their highest acclaim by regularly employing it in their practices.

A convenient dosage form for every medical requirement.



Now Available:


AUREOMYCIN SF Capsules, 250 mg. Chlortetracycline with Stress Formula Vitamins. For Patients with Prolonged Illness Aureomycin SF combines effective antibiotic action with Stress Formula vitamin supplementation to shorten convalescence and hasten recovery. One capsule, q.i.d., supplies one gram of Aureomycin and B complex, C and K vitamins in the Stress Formula suggested by the National Research Council. Aureomycin SF Capsules are dry-filled and sealed, contain no oils or paste.

Each capsule contains:

Aureomycin Chlortetracycline	250 mg.
Ascorbic Acid (C)	75 mg.
Thiamine Mononitrate (B ₁)	2.5 mg.
Riboflavin (B ₂)	2.5 mg.
Niacinamide	25 mg.
Pyridoxine (B ₆)	0.5 mg.
Folic Acid	0.375 mg.
Calcium Pantothenate	5 mg.
Vitamin K (Menadione)	0.5 mg.
Vitamin B ₁₂	1 mcgm.

LEDERLE LABORATORIES DIVISION AMBRICAN CYANAMID COMPANY PEARL RIVER, NEW YORK





Designed for all infant feeding from birth to the end of the first year, Baker's Modified Milk is a time-saver for busy physicians and busy hospitals. Simply dilute Baker's to prescribed strength with water.

Baker's Modified Milk is furnished gratis to all hospitals for your use.

FEEDING DIRECTIONS

(Normal dilution for liquid provides 20 calories per liquid ounce.)

	Baker's	Boiled Water
Hospital	1 part	2 parts
First week at home	1 part	1½ parts
After first week at home	1 part	1 part


Also available in powder form. (Normal dilution one tablespoon to 2 ounces of water provides 20 calories per fluid ounce.

*Made from Grade A Milk (U.S. Public Health Service Milk Code)

THE BAKER LABORATORIES, INC.

Milk Products Exclusively for the Medical Profession

Main Office: Cleveland 3, Ohio • Plant: East Troy, Wisconsin



Constantly improved...

to meet latest standards

A balanced

multivitamin

formula

including

natural B Complex

factors and minerals



Available in pleasant tasting liquid or small white tablets Liquid: pints . . . Tablets: bottles of 100 and 250

One tablespoonful (½ oz.), suggested daily dose, contains: 10,000 USP Units A, 1,000 USP Units D, 4 mg. B₁, 4 mg. B₂, 0.2 mg. B₆, 30 mg. Niacin and Niacinamide, 4.3 mg. Panthenol, 0.2 mg. E, 15 mg. Iron, 0.15 mg. lodine, 1 mg. Manganese.

VITAMINS ADB₁B₂B₆E Niacin Niacinamide

Panthenol including entire B COMPLEX

Minerals - Malt

Two tablets, suggested daily dose, contain: 10,000 USP Units A, 1,000 USP Units D, 100 mg. C, 5 mg. B₁, 5 mg. B₂, 0.2 mg. B₆, 1 mcg. B₁₂, 30 mg. Niacin and Niacinamide, 4.3 mg. Panthenol, 0.2 mg. E, 15 mg. Iron, 0.15 mg. Iodine, 200 mg. Calcium, 0.2 mg. Cobalt, 0.75 mg. Copper, 5 mg. Magnesium, 5 mg. Potassium, 1 mg. Manganese, 0.3 mg. Zinc.

Jewiz is the word for Noludar

Mild, yet positive in action, Noludar 'Roche' is especially suited for the tense patient who needs to relax and remain clear-headed —or for the insomniac who wants a refreshing night's sleep without hangover. Not a barbiturate, not habit-forming. Tablets, 50 and 200 mg; elixir, 50 mg per teasp.

Noludar® brand of methyprylon (3,3-diethyl-5-methyl-2,4-piperidinedione)



ROCHE

Original Research in Medicine and Chemistry

now...treatment on two therapeutic levels important in hypertension

HOW UNITENSEN WITH RESERPINE LOWERS BLOOD PRESSURE

patient	C.M.	A.T.	G.R.	B.S.	N.F.	R.G.	V.F.
age	34	65	77	62	58	51	41
1 Smithwick group	4	3	4	3	3	3	4
Blood Pressure	195	205	210	250	220	205	215
BEFÓRE	130	115	130	115	130	110	120
200 CF (C	-]	l l	l	l J	IJ		
Blood Pressure	160	175	170	170	175	180	175
AFTER	95	110	96	95	105	90	100

(from Cohen, Cross & Johnson: Am. Pract. 6: 1030, 1955.)

2 PSYCHE "The symptoms of hypertension usually arise in a social setting of emotional stress." Unitensen-R helps to calm down the hypertensive patient and make him feel better.

1. Weiss, E.: Am. Prect. 8: 1690, 1955.

Unitensen-R combines Unitensen—a safe, effective anti-hypertensive agent and reserpine—a tranquilizing alkaloid of rauwolfia. Unitensen-R dependably lowers blood pressure in most patients without serious side effects; and at the same time, gives patients a feeling of well-being. Dosage is simple and tablets are economical.

UNITENSEN*-R TABLETS +T.M. Reg., U.S. Pat. Off.

Each Unitensen-R tablet contains:

Cryptenamine (as tannate salt)

1 mg.


Reserpine

0.1 mg.

Bottles of 50, 100, 500 and 1000.

Also available: Unitensen Tannate Tablets brand of cryptenamine

IRWIN, NEISLER & COMPANY . DECATUR, ILLINOIS



and

'Co-Hydeltra'

Prednisolone Buffered

Supplied: Multiple Compressed Tablets of 'Co-Deltra' and 'Co-Hydeltra', each containing 5 mg. prednisone or prednisolone, 300 mg. of dried aluminum hydroxide gel, U.S.P., and 50 mg. of magnesium trisilicate, U.S.P., bottles of 30 tablets.

'Co-Deltra' and 'Co-Hydeltra' are the trademarks of Merck & Co., Inc.



Philadelphia 1, Pa. Division of Merck & Co., Inc.

What do you want in an analgesic?

COCOLOTIC (Salts of Dihydrohydroxycodeinone and Homatropine, plus APC) Better than codeing plus APC'

speed acts faster than code ine plus APC—usually within 15 minutes 1, 2

duration relieves pain longer than code ine plus APC—usually for 6 hours

with virtual freedom from constipation^{1, 2}

Average adult dosage, 1 tablet q. 6 h. Supplied as scored, yellow oral tablets. May be habit-forming. Literature? Write—



ENDO LABORATORIES INC. Richmond Hill 18, New York

Blank, P., and Boas, H.: Ann. West. Med. & Surg. 6:376,1952.
 Piper, C. E., and Nicklas, F. W.: Indust. Med. 23:510, 1954.
 *U.S. Pat. 2.628,185

Each Percodan tablet contains: Dihydrohydroxycodeinone HCl, 4.5 mg.; Dihydrohydroxycodeinone terephthalate, 0.38 mg.; Homatropine terephthalate, 0.38 mg.; Aspirin 224 mg.; Acetophenetidin, 160 mg.; Caffeine, 32 mg.



OPIDICE FOR THE OVERWEIGHT ... REDUCES TEA-TIME TENSION

Opidice offers powerful appetite control with smaller drug dosage because it contains Methamphetamine HCl, the "drug of choice," which minimizes or eliminates undesirable peripheral effects.

Opidice offers these six advantages:

- 1. Controls the appetite with less nervous tension, fewer side effects;
- 2. Elevates the mood;
- 3. Satisfies hunger by supplying bulk in the stomach and intestinal tract;
- 4. Provides needed nutrients to supplement the reducing diet;
- 5. Protects against hepatic damage during dietary reducing program;
- 6. Taken after meals, serves as an anti-depressant.

Low in cost to the patient — High in results!

Each OPIDICE capsule contains:

Methamphetamine HCl USP (d-Desoxyephedrine HCl) 5	ng.
Methylcellulose	ng.
Thiamine Mononitrate	ng.
Riboflavin	ng.
Niacinamide10.0 m	ng.
Vitamin B12	ncg.
Folic Acid	ng.
Choline Bitartrate	ng.
Ascorbic Acid	ng.
Vitamin A (acetate)	nits
Vitamin D	nits
Iron	ng.
Iodine	ng.

Bottles of 100 capsules, available at all pharmacies.

REFERENCES: Obesity, The Problem and Treatment: Harry S. Douglas, M.D., Washington, D.C., Western Jl. of Surg., Obs. and Gyn., Volume 59/5 (May, 1951) 238-244, N N R, 1951, p 193. Methamphetamine Hydrochloride U.S.P. Queries and Minor Notes: J.A.M.A., 143/14 (1950) p 1298. "The Liver in Obesity," Samuel Zelman, M.D., Arch. Int. Medicine, 90:137 (1952).





GALEN® MULTIVITAMIN TABLETS—two tablets contain: Vitamin A 5000 U.S.P. units; Vitamin D 800 U.S.P. units; Ascorbic acid 100 mg.; Thiamine 5 mg.; Riboflavin 4 mg.; Niacinamide 30 mg.; Pyridoxine 1 mg.; Calcium pantothenate 5 mg.; Vitamin E 2 mg.; Iron 15 mg.; Manganese 6 mg.; Iodine 0.1 mg.; Copper 1 mg.; Calcium 200 mg.; Phosphorus 150 mg.

Rare-Galen Division of White Laboratories, Inc., Kenilworth, N. J.



NEW

urine sugar test of unmatched simplicity

'Tes-Tape'

Tes-Tape' completely eliminates the need for test tubes, heat, reagents, or any other paraphernalia in quantitative urine sugar determinations. Simply moisten a strip of 'Tes-Tape' with the specimen. After just sixty seconds, compare it with the color chart on the 'Tes-Tape' dispenser. Then read off the percentage of sugar. The selective action of 'Tes-Tape' prevents false positive reactions, assures complete accuracy.

The convenient size of the 'Tes-Tape' dispenser permits you to carry it on house calls for on-the-spot determinations. Your patients also will welcome the convenience, simplicity, and accuracy of 'Tes-Tape.'

Now available at pharmacies everywhere.

Liley

QUALITY / RESEARCH / INTEGRITY

ELI LILLY AND COMPANY . INDIANAPOLIS 6, INDIANA, U.S.A.

326043

- SACRAMENTO VALLEY CIRCUIT:
 - Dunsmuir—Mondays, April 16, 23, May 14, 21. Chico—Tuesdays, April 17, 24, May 15, 22. Marysville—Wednesdays, April 18, 25, May 16, 23. Auburn—Thursdays, April 19, 26, May 17, 24.
- Contact: C. A. Broaddus, M.D., Director of Postgraduate Activities, P.O. Box A-1, Carmel, California, or Mrs. Margaret H. Griffith, Assistant Director, Postgraduate Activities, California Medical Association, 417 So. Hill St., Los Angeles 13.

Medical Dates Bulletin

APRIL MEETINGS

- AMERICAN COLLEGE OF PHYSICIANS 37TH ANNUAL SESSION, Los Angeles, April 16-20.
- Contact: George C. Griffith, M.D., General Chairman, Box 25, 1200 N. State St., Los Angeles 33.
- CANCER COMMISSION, California Medical Association Cancer Conference for San Luis Obispo County Medical Society, April 21, 6:30 p.m. Dinner, San Luis Obispo.†
- Valley Children's Hospital Annual Spring Clinics, April 27 and 28, 9 a.m., Roosevelt High School Auditorium, Fresno. Fee: \$15.00.
- CALIFORNIA CHAPTER OF AMERICAN COLLEGE OF CHEST PHYSICIANS annual meeting, Ambassador Hotel, Los Angeles, April 28.
- Contact: Mortimer A. Benioff, M.D., secretary-treasurer, 2255 Van Ness Ave., San Francisco, or Samuel J. Sills, M.D., chairman, Program Committee, 2007 Wilshire Blvd., Los Angeles 57.
- WESTERN INDUSTRIAL MEDICAL ASSOCIATION annual meeting, all day, April 28, Ambassador Hotel, Los Angeles. Contact: Edward Zaik, M.D., secretary, 740 South Olive Street, Los Angeles 14.
- HAWAII MEDICAL ASSOCIATION Centennial Celebration. Scientific sessions, historical pageant of 100 years of medicine in Hawaii, social festivities, etc., Honolulu, April 22 to 29.
- Contact: Hawaii Medical Association, 510 S. Beretania Street, Honolulu 13, Hawaii.
- California Medical Association Annual Meeting, celebrating 100th Anniversary, Ambassador Hotel, Los Angeles, April 29 to May 2.
- Contact: John Hunton, Executive Secretary, 450 Sutter St., San Francisco 8, or Ed Clancy, Director of Public Relations, 417 S. Hill St., Los Angeles 13.
- WESTERN SECTION, AMERICAN UROLOGICAL ASSOCIATION, April 30 to May 3, Sheraton-Palace Hotel, San Francisco.
- Contact: James Ownby, Jr., M.D., 516 Sutter St., San Francisco.

MAY MEETINGS

- California Society of Anesthesiologists, Inc., Annual Meeting, May 2, 1:00 p.m., Grove Lounge, Ambassador Hotel, Los Angeles.
- Contact: Francis E. Guinney, M.D., secretary, 2790 Monte Mar Terrace, Los Angeles 64, or telephone DUnkirk 7-4236.

- New Mexico Medical Society annual session, Roswell, New Mexico, May 2 to 4.
- Contact: Ralph R. Marshall, executive secretary, 223-24 First National Bank, Albuquerque, N. M.
- California Conference of Local Health Officers semiannual meeting, May 3-4, Auditorium, Los Angeles City Health Dept., 111 E. First Street, Los Angeles, 9 a.m. to 5 p.m. both days.
- Contact: John C. Dement, M.D., chief, Division of Local Health Service, California Dept. of Public Health, 2151 Berkeley Way, Berkeley 4.
- California Heart Association Annual Meeting and Scientific Session, La Playa Hotel, Carmel, May 18 to 20.
- Contact: J. Keith Thwaites, executive director, California Heart Association, 1428 Bush Street, San Francisco 9.
- WESTERN BRANCH, AMERICAN PUBLIC HEALTH ASSOCIA-TION 23rd Annual Meeting, Hotel Utah, Salt Lake City, Utah, May 30 to June 2.
- Contact: Mrs. L. Amy Darter, secretary-treasurer, at State Public Health, 2151 Berkeley Way, Berkeley 4, California.

SUMMER AND FALL MEETINGS

- La Mesa Community Hospital Clinical Session, "Civilian Defense, Radioactive Fallout, and Decontamination of Casualties—both immediate and late care," June 15 to 23, Tripler General Hospital, Honolulu, Hawaii. Chartered plane to leave International Airport. Total cost, including meals, hotel, etc., \$360.00 plus tax.
- Contact: John H. Gorby, administrator, La Mesa Community Hospital, 8665 La Mesa Blvd., La Mesa.
- IDAHO STATE MEDICAL ASSOCIATION annual meeting, June 17-20, Sun Valley, Idaho.
- Contact: Armand L. Bird, executive secretary, Idaho State Medical Association, 364 Sonna Building, Boise, Idaho.
- MEDICAL LIBRARY ASSOCIATION 55th annual meeting, June 18 to 22, Hotel Statler, Los Angeles.
- Contact: Mrs. Ella Crandall, librarian, Los Angeles County General Hospital, Los Angeles.
- WYOMING STATE MEDICAL SOCIETY annual meeting, Jackson Lake Lodge, Moran, Wyoming, June 29 and 30.
- Contact: A. R. Abbey, Box 2036, Cheyenne, Wyoming.
- COLORADO DIVISION OF THE AMERICAN CANCER SOCIETY 10th annual Rocky Mountain Cancer Conference, Shirley-Savoy Hotel, Denver, Colorado, July 11 and 12.
- Contact: John S. Bouslog, M.D., 835 Republic Building, Denver 2, Colorado.
- NEVADA STATE MEDICAL ASSOCIATION annual meeting, Reno, Nevada, August 22 to 25.
- Contact: Nelson B. Neff, executive secretary, P. O. Box 188, Reno, Nevada.
- St. John's Hospital Postgraduate Assembly, September 10, 11, 12, 9 a.m. to 4 p.m. and 8 to 9 p.m. Elks Club, Santa Monica.
- *For registration or information, contact: Gertrude Jones, M.D., Children's Hospital, San Francisco.
- †Contact: Walter E. Batchelder, M.D., Medical Director, Cancer Commission, 467 O'Farrell Street, San Francisco.

- Contact: John C. Eagan, M.D., director, 1245 Glendon Ave., Los Angeles 24.
- SAN DIEGO COUNTY GENERAL HOSPITAL TENTH ANNUAL POSTGRADUATE ASSEMBLY. September 19-20.
- Contact: Howard B. Kirtland, Sr., M.D., Chairman, Postgraduate Committee, 3505 Fourth Avenue, San Diego 3.
- CALIFORNIA SOCIETY OF INTERNAL MEDICINE ANNUAL MEETING. September 29, La Playa Hotel, Carmel.
- Contact: Mrs. Mildred B. Coleman, Assistant Secretary, Room 515, 384 Post Street, San Francisco 8.
- San Francisco Heart Association Annual Postgraduate Symposium, October 3, 4, 5, 1956, St. Francis Hotel, San Francisco.


- Contact: Executive director, 604 Mission St., San Francisco.
- Los Angeles County Heart Association 26th Annual Symposium on Heart Disease, Wilshire-Ebell Theatre, 4401 West 8th St., Los Angeles, October 10 and 11.
- Contact: Robert A. Pike, executive director, Los Angeles County Heart Association, 316 South Bonnie Brae, Los Angeles 57 or telephone DUnkirk 8-4127.
- California Academy of General Practice 8th Annual Scientific Assembly, Hotel Statler, Los Angeles, October 14, 15, 16, 17.
- Contact: William W. Rogers, executive secretary, California Academy of General Practice, 461 Market St., San Francisco.



Reduced Hypermotility, Improved Delineation with Pro-Banthine*: Case History



Basic film: pronounced hypermotility of stomach and bulb; diagnosis not possible.



Five-minute film after 15 mg. of Pro-Banthine intramuscularly: large gastric ulcer on lesser curvature clearly visualized.

J. R., male, age 50, when first seen* complained of severe abdominal pain of six weeks' duration. Initial gastrointestinal roentgenologic examination revealed marked hypermotility of the stomach and duodenal bulb. Because of rapid emptying it was not possible to visualize a lesion either in the stomach or duodenal bulb. However, the patient's symptoms strongly suggested an ulcer, and he was reexamined after the injection of 15 mg. of Pro-Banthine (brand of propantheline bromide) intramuscularly. A marked diminution in motility occurred and a huge gastric ulcer was easily visible on the lesser curvature at the junction of the upper and middle third of the stomach.


This patient is now receiving 30 mg. of Pro-Banthine four times daily and gained 8 pounds during the first ten days of therapy.

Trial packages of Pro-Banthine and the new booklet, "Case Histories of Anticholinergic Action," available on request... He was completely relieved of pain within twenty-four hours. The ulcer is presently healed and he is asymptomatic, six weeks following initiation of Pro-Banthine therapy. This is an excellent example of delineation of a lesion which escaped detection with the ordinary technique of gastrointestinal roentgenography. If an ulcer is suspected and the initial roentgenologic examination is negative or inconclusive, the roentgenographic study should be repeated following the oral administration of 30 mg. or the intramuscular injection of 15 mg. of Pro-Banthine. G. D. Searle & Co., Research in the Service of Medicine.

SEARLE

P. O. Box 5110 C Chicago 80, Illinois

^{*}Roentgenograms and case history courtesy of I. Richard Schwartz, M.D., Kings County Gastrointestinal Clinic, Brooklyn, N. Y.



Sturdy growth of the infant and resistance to disease depend largely on nutritional status.

Undernourished or premature infants can be advanced toward optimal resistance by properly improved nutrition. Lowered resistance of a healthy-appearing infant not infrequently is due to subclinical deficiencies; such an infant, too, needs a complete formula.

The completeness of Pelargon's formula—mildly acidified with lactic acid—requires no supplementation and assures optimal nutrition for normal infants, those with digestive difficulties, and premature or marasmic infants.



No other infant formula offers more authoritative formulation, better digestibility or greater prophylactic nutrition than Pelargon. _NESTLE—A time-honored name in the_ field of infant nutrition

THE NESTLE COMPANY, INC.

Professional Products Division
White Plains, New York

no nicer way to.

SUSPENSION Chloromycetin PALMITATE

pleasant-tasting CHLOROMYCETIN for pediatric use

When a youngster's condition calls for CHLOROMYCETIN (chloramphenicol, Parke-Davis) you can make the treatment pleasant by prescribing SUSPENSION CHLOROMYCETIN PALMITATE.

Because children like the taste of this custard-flavored suspension, missed doses and spilled doses are avoided. Each teaspoonful is willingly taken...and swallowed.

Precise adjustment of dosage, as directed, is made easier for the child's mother with SUSPENSION CHLOROMYCETIN PALMITATE. The fact that it needs no refrigeration is an added convenience.

CHLOROMYCETIN is a potent therapeutic agent and, because certain blood dyscrasias have been associated with its administration, it should not be used indiscriminately or for minor infections. Furthermore, as with certain other drugs, adequate blood studies should be made when the patient requires prolonged or intermittent therapy.

supplied:
SUSPENSION CHLOROMYCETIN PALMITATE,
containing the equivalent of 125 mg.
of CHLOROMYCETIN per 4 cc.,
is available in 60-cc. vials.



. . get well



PARKE, DAVIS & COMPANY DETROIT, MICHIGAN

What makes Viceroy different from other filter cigarettes?

Only VICEROY—
has 20,000 tiny filters
in every tip...twice as
many as the other two
largest-selling filter
brands! That's why you
get that fresh, clean
real tobacco taste!




The VICEROY filter tip contains 20,000 tiny filters made exclusively from pure cellulose . . . soft, snow-white, natural. This is twice as many filters as the other two largest-selling filter brands.

That is why VICEROY gives you such a fresh, clean taste—that <u>real tobacco</u> <u>taste</u> you miss in other filter brands. No wonder so many doctors now smoke and recommend King-Size VICEROYS.

If it's Viceroy you can tell the difference blindfolded!

King-Size Filter Tip VICEROY





Re-activate the arthritic

MOST POTENT ANTI-RHEUMATIC *

Even where hydrocortisone, cortisone, and other agents had failed, prednisolone (STERANE) restored articular mobility and functional capacity to normal in rheumatoid arthritis.¹

Four times more effective than hydrocortisone, and, on the basis of preliminary findings,^{2,3} superior in potency even to prednisone (cortisone analog), STERANE is also relatively free of such hormonal side effects as edema, hypertension, or hypopotassemia.

Supplied: White, 5 mg. oral tablets, in bottles of 20 and 100. Pink, 1 mg. oral tablets, in bottles of 100. Both are deep-scored and in the distinctive "easy-to-break" size and Pfizer oval shape.

References: 1. Bunim, J. J., et al.: J.A.M.A. 157:311, 1955. 2. Forsham, P. H., et al.: Paper presented at First Internat. Conf. on Prednisone and Prednisolone, New York, May 31-June 1, 1955. 3. Perlman, P. L., and Tolksdorf, S.: Scientific Exhibit presented at A.M.A. Annual Meet., Atlantic City, June 6-11, 1955.

PFIZER LABORATORIES Division, Chas. Pfizer & Co., Inc. Brooklyn 6, New York



The Bells Are Ringing

In cities, towns and villages all over America, the ringing of church bells one day in April will mark the launching of the annual Cancer Crusade of the American Cancer Society. At the same time, in many doctors' offices, the staccato ring of door and telephone bells will mark the success of a major objective of the Society.

"Fight Cancer with a Checkup" is the American Cancer Society's immediate, short-range answer to the terrible toll of lives taken each year by this dread disease. It is to your office that the Society is urging the public to go for the periodic examinations that can mean the early detection and prompt treatment of cancer, and could prevent thousands and thousands of needless deaths.

Achievement of our ultimate goal — the conquest of cancer—will be largely determined by the response to our plea to "Fight Cancer with a Check". This year the Society needs \$26,000,000 to carry on its vital program of education, research and service.


"Fight Cancer with a Checkup and a Check"—a winning combination. With your support and the cooperation of the public, the sound of victory will one day ring through the land.

American Cancer Society

American Cancer Society, California Division
467 O'Farrell Street • San Francisco 2, California • TUxedo 5-5822

as dependable as DESIT





Ingredients: high grade Norwegian cod liver oil, zinc oxide, magnesium carbonate, lime water, emulsifiers qs.

Pleasantly scented, non-staining, washes off readily with water.

Wide-mouthed 4 ounce bottles.



unusually effective, soothing, non-sensitizing with the healing action of COD LIVER OIL in

dermatitis venenata • sunburn atopic eczema • intertrigo pityriasis rosea • insect bites industrial dermatitis

CLEAR-CUT CLINICAL EVIDENCE1,2

demonstrates that DESITIN LOTION is ...

unusually effective - "dermatitis was either relieved, improved, or completely resolved" in almost every patient using DESITIN LOTION. Itching and irritation promptly alleviated.

truly non-sensitizing —"in no case was there a single instance of true skin sensitization despite prolonged use."

"fixotropic"—DESITIN LOTION IS "fixotropic"—remaining in homogeneous, free-flowing suspension.

samples and reprints on request.

CHEMICAL COMPANY 70 Ship St., Providence 2, R. I.

- 1. Holland, M. H.: J. Med. Soc. New Jersey 49:469, 1952.
- 2. Grayzel, H. G., Heimer, C. B., and Grayzel, R. W.: New York St. J. M. 53:2233, 1953.

HOW OLD IS OLD?

"The really old people are those 10 years older than myself."

"In the lay mind, anyone past 60 is ready for the discard . . ."2

"... there are only three principal phases in the span of life: infancy, adolescence and senescence."

"One finds alert, interesting, active folks in the 80's and, on the other hand, there are people in the 20's and 30's who have all the characteristics of old age."4



THE REAL QUESTION

To the physician on the firing line of daily practice, the question of "how old is old?" seems academic. To him, a more valid question is "How can I allay the effects of the aging process?"



FIVE PROBLEMS IN AGING

The answer, according to most authorities, is manifold, for five treatable problems seem to predominate. One, obviously, is gonadal hormone decline. Another is mild anemia. A third is the decreased production of gastric and digestive enzymes. Mineral-vitamin deficiency is the fourth. And the fifth — perhaps most important—is inadequate high-quality protein intake.

THERAPY FOR AGING

Judging from this confused clinical picture of aging, therapy for the problem would appear difficult. However, most physicians agree that a product which could correct most or all of these five commonest problems would remove past obstacles to satisfactory response. Such a product would, essentially, be true "preventive geriatrics."

NEOBON'S COMPREHENSIVE FORMULA

NEOBON®, a product of Roerig research, is a blended combination of the five most commonly indicated factors for prevention or treatment of the nonacute conditions of aging. Each soft, soluble capsule provides:

Non-stimulatory gonadal hormone replacement balanced hematinic component digestant enzyme replacement specially formulated mineral-vitamin combination new lysine, for protein improvement*

* Protein deficiency among the aging apparently stems from their excessive intake of white-flour foods which furnish incomplete protein of low biologic value. White bread protein, for example, has been shown by nutrition studies in animals⁵ to be deficient only in the amino acid, lysine. In human subjects metabolic determinations indicate that the addition of supplemental lysine to a basal white-flour protein diet can convert a negative nitrogen balance into a positive one. ⁶



A WORD ABOUT SYMPTOMATOLOGY

In spite of jokes to the contrary, the patient who

states in the professional office that "old age is creeping up" is a rare bird indeed.

Seldom is old age the presenting complaint. Thus the physician, after correcting the specific complaints, must re-evaluate the whole person to judge his candidacy for "preventive geriatrics." Such people have much to gain from NEOBON therapy. The rewards are fuller, more active, more pleasurable years for patients past 40. The daily dose (3 capsules) of NEOBON provides:

L-lysine											150 mg.
Methyltestosterone											3 mg.
Ethinyl Estradiol .	-	-	-	•	-	•	•	•	•	'n	.018 mg.
Pancreatic Substance	**	*.	:	•	•	•	•	•	•	v	
		≖.	•	•	•	•	•	•	•	٠	150 mg.
Glutamic Acid	•		•	•	•	•	•	•	•	•	90 mg.
Rutin											15 mg.
Vitamin A (Palmitate)							. €	3.00	10 L	J.S	.P. Units
Vitamin D (Irradiated	Ere	osi	terc	ıı)				60	00 (I.S	.P. Units
Vitamin E (as Tocopho											
Calcium Pantothenat	~ , , ,	~~	Ctu	ιυ,	•	•	•	•	•	•	
											15 mg.
Thiamine Mononitrat	e (1	/118	ımıı	ıв	1)	•					1.5 mg.
Riboflavin (Vitamin E	5 ₂)										1.5 mg.
Pyridoxine Hydrochlo	rid	e ('	Vita	miı	пB	(A)					1.5 mg.
Niacinamide		٠.			_	٠.	_		- 1		150 mg.
Ascorbic Acid (Vitam	in (?)`	•	•		•	•	Ċ	·		150 mg.
Vitamin B ₁₂ (Oral Co	nco	ntr	aغما	٠.	•	•	•	•	•		3 mcg.
Folio Acid	IICE		ate,	٠.	•	•	•	•	•		
Folic Acid Liver-Stomach Substa	•	٠		•	•	٠	•	•	•		0.3 mg.
Liver-Stomach Substa	ince	**				•		•			300 mg.
Iron (from Ferrous G	luco	ona	te)								10.2 mg.
Cobalt (from Cobalto	us	Su	lfat	e)							0.1 mg.
Molybdenum (from S	ndiı	ım	Mo	Ívh	dat	e)					2 mg.
Copper (from Cupric S											1 mg.
Manganese (from Mar							•				
								•	•	•	1 mg.
Magnesium (from Mag	gne	sıu	m S	ult	aτe)					6 mg.
Iodine (from Potassiu	m I	odi	de)								0.15 mg.
Potassium (from Pota	ıssi	um	Sul	lfat	(e)						5 mg.
Zinc (from Zinc Sulfa	ate)			_			- 1		-	Ċ	1.2 mg
**Enzymatically ac											
									יוני	9611	eu mon
1,500 mg. whole	ne:	sii i	ıve	ıaı	iu :	SLO	ma	cn.			

***Enzymatically active defatted material obtained from 750 mg. of whole fresh pancreas.

Dosage: 3 capsules daily, with meals.
Supplied: Bottles of 60 capsules, prescription only.

NEW NEOBON LIQUID

A GERIATRIC TONIC

Now also available for your consideration is NEOBON LIQUID, which provides hematinic action, improved carbohydrate and protein utilization, gonadal and thyroid hormone supplementation and a mild antidepressant action.

The pleasant tasting liquid is especially indicated when a combined attack against nutritional, physiological and mental depression is indicated. Each tea-

spoonful (5 cc.) of pleasant-tasting

ILOBOH E	-×			CO		uı	110	•						
Ferrous Gluco	nat	te											30 r	
Ascorbic Acid		٠.	٠.							•	•	•		
d-Amphetamin	е	Sul	fate	•									0.5 1	ng.
Folic Acid .													167 m	CŽ.
Vitamin B ₁₂													2.5 m	cğ.
I-Thyroxine													0.1 r	nğ.
Ethinyl Estradi	iol												1 m	
Methyltestoste	ero	ne											1 r	ng.
Liver Fraction	1												25 r	
Ethyl Alcohol				. '									0.5	cč.
Dosage: One required.												mea		
Supplied: In	16	flu	ıid	our	ice	bot	ttie	es,	pre	scr	ip	tion	only.	

Bibliography

1. Anonymous. 2. Rosenthal, P.: Geriatrics 10:382 (August) 1955. 3. Lansing, A. I.: Symposium on Problems of Gerontology, National Symposium Series No. 9 (August) 1954. 4. Mason-Hohl, E.: Quoted in W. Va. Med. J. 51:16 (Janu-

ary) 1955. 5. Rosenberg, H. R., et al.: Arch. Blochem. and Biophys. 49:263, 1954. 6. Bricker, M., Mitchell, H. H. and Kinsman, G. M.: J. Nutrition 30:269, 1945. 7. Masters, W. H. and Ballew, J. W.: Geriatrics 10:1, 1 (January) 1955.






for the child
who "just won't eat"

In a one-year, controlled study of children with secondary growth failure or clinical malnutrition, "Trophite'—high dosage of B_{12} and B_{1} —increased growth by nearly 50% (see graph below).

AVERAGE GROWTH AND DEVELOPMENT RATE—LEVELS/YEAR



(These levels represent growth in terms of both height and weight according to Wetzel's Grid technique.)


Try "Trophite' in the child who "just won't eat." Both you and his parents will be delighted with his new appetite.

"Trophite' is available both as a truly delicious liquid and as tablets. Each teaspoonful (5 cc.) or tablet supplies: 25 mcg. B_{12} , 10 mg. B_{1} .

the high potency combination of B_{12} and B_{1}

Trophite* for appetite

*T.M. Reg. U.S. Pat. Off. Smith, Kline & French Laboratories, Philadelphia



As an alternative, PRL's BIODEX has great value in promotion of Normal Blood Coagulation and Vascular Integrity. It contains, per tablet, Vitamin C 50 mg., Hesperidin 50 mg., Rutin 10 mg., and Menadione 0.5 mg. Write for information.

Fine Pharmaceuticals by

PASADENA RESEARCH LABORATORIES, INC.

bioflavonoids appear to be related to Vitamin C. They act synergistically with, and therefore seem to enhance the well-known therapeutic value of Vitamin C in arresting the symptoms of Vitamin C deficiency and especially of capillary fragility. Wherever Vitamin C is indicated, BIOCEE will prove valuable.

PACKED:

Bottles of 100 and 1000 SC Tablets

2107 E, Villa St., Pasadena 8, Calif.



manometer attached to bulb the dial is in your hand me cuai is in your nand safer . . . protected from accident

manometer attached to bulb the dial is in your hand only you can see the dial . . . prevents patient's selfdiagnosis, apprehension

manometer attached to bulb the dial is in your hand no hooking or hanging, no bulky box on the table

manometer attached to bulb the dial is in your hand easier 10 see . . . big clear numbers

manometer attached to bulb the dial is in your hand easier to adjust and coordinate thumb valve control with pressure drop

*T.M. Reg.


PPER MANUFACTURING COMPANY, INC. 10-34 44th DRIVE, LONG ISLAND CITY 1, N.Y.

Send the Propper Manuell Sphygmomanometer for 14 days free trial. At the end of 14 days I will return the instrument to you or will pay my regular dealer \$43.00 for the snap-on cuff model, or \$41.00 for the wrap-around cuff model.

Right-hand model	Snap-on cuff model
☐ Left-hand model	Wrap-around cuff model

My usual supply dealer_____

NAME_ ADDRESS_ ZONE___STATE__



PROPPER MANUELL* Sphygmomanometer

Specialists and G.P.'s prefer Manuell . . . Clinicians with several examining rooms have a nurse or assistant prepare patients with cuffs . . . the physician walks in, plugs in the manometer and takes his reading with no loss of time.

Pediatricians and psychiatrists have less trouble with wiggling, squirming or nervous patients—no hook-

ing or hanging the manometer, the dial is in the physician's hand.

Anesthesiologists are able to keep the patient's condition under constant observation easier.

Manuell is used and approved in leading medical schools.

Left-handed models available!

*T.M. Reg.

FIRST CLASS

Permit No. 180 Sec. 34.9 P. L. & R. Long Island City, N.Y. Manuell is ECONOMICAL, DEPENDABLE and GUARANTEED 10-year warranty

Economical

Please Note

Reasonable in original cost, low in upkeep. Repair parts and factory service, if ever needed, are available by return mail direct from Propper Manufacturing Co. or your regular supply dealer.

Dependable

10-year Certificate of Warranty packed with each instrument. Propper, manufacturers of many hospital and laboratory instruments and supplies, stands behind Manuell—every Manuell is pre-tested, numbered, recorded, guaranteed!


BUSINESS REPLY CARD

No postage stamp necessary if mailed in the United States

POSTAGE WILL BE PAID BY

Propper Manufacturing Company, Inc. 10-34 44th Drive Long Island City 1, New York





Multiple Compressed Tablets of 'Co-Deltraa' and 'Co-Hydeltraa' are designed to help the physician cope with the problem of gastric distress which might otherwise become an obstacle to therapy with the newer steroids prednisone and prednisolone. Each Multiple Compressed Tablet is specifically formulated as a "tablet within a tablet" to provide stability and to release in sequence antacid and anti-inflammatory components.

GO-IJVIGE TO MULTIPLE

and

COMPRESSED

TABLETS

'Co-Deltra'

Prednisone Buffered



Philadelphia 1, Pa.
Division of Merck & Co., Inc.

Supplied: Multiple Compressed Tablets of 'Co-Deltra' and 'Co-Hydeltra', each containing 5 mg. prednisone or prednisolone, 300 mg. of dried aluminum hydroxide gel, U.S.P., and 50 mg. of magnesium trisilicate, U.S.P., bottles of 30 tablets.

'Co-Deltra' and 'Co-Hydeltra' are the trademarks of Merck & Co., INC.

24-hour control

for the majority of diabetics



GLOBIN INSULIN

'B.W. & CO'.®

a clear solution . . . easy to measure accurately


Discovered by Reiner, Searle, and Lang in The Wellcome Research Laboratories



BURROUGHS WELLCOME & CO. (U.S.A.) INC.

Tuckahoe 7, New York





complete specificity...unaffected by nonglucose reducing substances...differentiates glucose from other urine-sugars... thousands of tests reveal no substance causing a false positive.

extreme sensitivity... detects glucose concentrations of 0.1% or less.

utmost simplicity and convenience...a CLINISTIX Reagent Strip moistened with urine turns blue when glucose is present.


qualitative accuracy...used whenever

presence or absence of glucose must be determined rapidly and frequently. CLINISTIX does not attempt to give quantitative results because so many factors in urine influence enzyme reactions.

economy...CLINISTIX saves time and cuts costs...each strip is a complete test rapidly performed without reagents and equipment.

available: Packets of 30 CLINISTIX Reagent Strips in cartons of 12—No. 2830.





Adequate nutrition during illness and convalescence is essential for recovery whether the patient is managed in the hospital or at home. In the latter case, physicians often must devote much time to instructing those responsible for caring for the sick in good nutritional practices.

"Meal Planning for the Sick and Convalescent" has been designed to relieve you of the need for repeating over and over again essential dietary facts. This new Knox booklet presents in layman's language the latest nutritional applications of proteins, vitamins and minerals, gives practical hints on serving food to adults and children, suggests ways to stimulate appetite and describes diets from clear liquid to full convalescent. Best of all it offers the homemaker for the first time detailed daily suggested menus for each type of diet,

plus 14 pages of tested nourishing recipes.

If you would like copies of this new timesaving Knox booklet for your practice, use the coupon below.

Chas. B. Knox Gelatine Company, Inc. Professional Service Department CB-16 Johnstown, N. Y.

Please send me......copies of the new Knox "Sick and Convalescent" booklet.

YOUR NAME AND ADDRESS

Meat...

and Energy While Reducing

Whatever the origin of obesity, a foremost consideration in any weight reducing program is the establishment of a negative caloric balance by means of an acceptable low-calorie diet which does not produce inanition, irritability, or personality changes.* A reducing diet which does not require renouncement of customarily used foods and which provides sufficient nutrient energy for sustaining vigor, increases the chances for permanent adjustment in food habits. Only by such permanent habit change can normal weight be maintained once it is reached by dieting.

Clinical experience shows that the best diet for reducing is a normal diet modified by reduction in portion size of certain foods rather than by their elimination. Desirable and necessary foods in the "ideal reducing diet" include "meat, poultry, fish, eggs, milk and other dairy products, leafy green and yellow vegetables, citrus fruits, and enriched and whole grain products."*

Lean meat, providing, as it does, important amounts of top quality protein, B vitamins, and essential minerals, is recognized as a valuable food in the reducing diet, as well as in the maintenance diet following a reducing program. It supplies only a moderate quantity of calories as food energy, it has great satiety value, and it provides energy relatively slowly, thus contributing to a sense of well-being and vigor.

The nutritional statements in this advertisement have been reviewed by the Council on Foods and Nutrition of the American Medical Association and found consistent with current authoritative medical opinion.

American Meat Institute Main Office, Chicago...Members Throughout the United States

^{*}Berryman, G. H.: Obesity-A Brief Review of the Problem, Metabolism 3:544 (Nov.) 1954.

new

Against Pathogen & Pain

in urinary tract infections


Azo Gantrisin combines the single, soluble sulfonamide, Gantrisin, with a time-tested urinary analgesic - in a single tablet.

Prompt relief of pain and other discomfort is provided together with the wide-spectrum antibacterial effectiveness of Gantrisin which achieves both high <u>urinary</u> and <u>plasma</u> levels so important in both <u>ascending</u> and <u>descending</u> urinary tract infections.

Each Azo Gantrisin tablet contains 0.5 Cm Gantrisin 'Roche' plus 50 mg phenylazo-diamino-pyridine HCl.

Gantrisin® - brand of sulfisoxazole

Original Research in Medicine and Chemistry



= sound ulcer therapy

provides prolonged relief of ulcer pain.1

Kolantyl: 1. Neutralizes acid, 2. Inhibits pepsin, 3. Relieves hypermotility and spasm through musculotropic action, 4. Relieves spasm through neurotropic action, 5. Forms protecting demulcent, 6. Inhibits lysozyme.

This combination of ulcer-combating ingredients in pleasanttasting KOLANTYL Gel, or convenient tablets, makes rational its use as the medication of choice in peptic ulcer therapy.



Rx Information Kolantyl

Gel and Tablets

Action:

Bentyl* content affords spasmolysis and parasympathetic-depressant actions without the side effects of atropine.

Rapid, Prolonged Antacid Relief ... Balanced antacids — no laxation — no constipation

Proven Demulcent Action... Helps protect normal cells, encourages cellular repair Anti-enzyme Action... Necrotic pepsin and lysozyme action checked

Composition:

Each 10 cc. of KOLANTYL Gel or each KOLANTYL tablet contains: Bentyl Hydrochloride.....5 mg. Aluminum

Hydroxide Gel400 mg.

Magnesium Oxide200 mg.

Sodium Lauryl Sulfate ...25 mg.

Methylcellulose100 mg.

Dosage.

Gel — 2 to 4 teaspoonfuls every three hours, or as needed. Tablets — 2 tablets (chewed for more rapid action) every three hours, or as needed.

Supplied:

Gel — 12 oz. bottles. Tablets — bottles of 100 and 1,000.

1. Johnston, R.L.: J. Indiana St. M.A. 46:869, 1953. 2. McHardy, G., and Browne, D.: Southern M. J. 45:1139, 1952.

*Merrell's distinctive antispasmodic that is more effective than atropine—free from side effects of atronine.2

THE WM. S. MERRELL COMPANY New York · CINCINNATI · St. Thomas, Ontario



Pioneer in Medicine for Over 125 Years



portrait of a contented baby

fibrefree hypoallergenic formula

- 1 An ideal food for milk allergies, eczema and problem feeding
- 2 An excellent formula for regular infant feeding

Strikingly similar to mother's milk in composition and ease of assimilation, babies thrive on SOYALAC.

Clinical data furnish evidence of SOYALAC'S value in promoting growth and development.

Protein of high biologic value is obtained from the soybean by an exclusive process.

SOYALAC is an ideal "regular" formula. It also helps solve the feeding problems of prematures and infants requiring milk-free diets.

No mixing problem with SOYALAC Concentrated Liquid. Simply dilute with equal amount of water.

FREE BOOKLET AND SAMPLES

A request on your professional letterhead or prescription form will bring complete information and a supply of samples. Address Loma Linda Food Company, Arlington, California or Mount Vernon, Ohio.



ARLINGTON, CALIF. MOUNT VERNON, OHIO

SOUGERRAIS
LIQUID
Appelloques deals
Children and
Six rice.
Six rice.
Six rice.
Six rice.

Medical Products Division

"Yessir, since I retired I've been fishing every day!"



Each year, as more and more people attain a ripe old age, more and more physicians prescribe GEVRAL to help keep these senior citizens fit and active. This special geriatric diet supplement provides 14 vitamins, 11 minerals, and Purified Intrinsic Factor Concentrate in one convenient, dry-filled capsule.

GEVITAL*

Each GEVRAL Capsule contains: Vitamin A 5000 U.S.P. Units	Choline Dihydrogen Citrate	100 mg 50 mg
Vitamin D 500 U.S.P. Units	Ascorbic Acid (C)	50 mg
Vitamin B ₁₂ 1 mcgm.	Vitamin E	
Thiamine Mononitrate (B ₁) 5 mg.	(as tocopheryl acetates)	10 I.U
Riboflavin (B ₂) 5 mg.	Rutin	25 mg
Niacinamide 15 mg.	Purified Intrinsic	
Folic Acid 1 mg.	Factor Concentrate	0.5 mg
Pyridoxine HCI (B ₆) 0.5 mg.	Iron (as FeSO ₄)	10 mg
Ca Pantothenate 5 mg.	lodine (as KI)	0.5 mg

Calcium (as CaHPO ₄)	145 mg.
Phosphorus (as CaHPO ₄)	110 mg.
Boron (as Na ₂ B ₄ O ₇ · 10H ₂ O)	0.1 mg.
Copper (as CuO)	1 mg.
Fluorine (as CaF ₂)	0.1 mg.
Manganese (as MnO ₂)	1 mg.
Magnesium (as MgO)	1 mg.
Potassium (as K ₂ SO ₄)	5 mg.
Zinc (as ZnO)	0.5 mg.

Other Lederle geriatric products include: Gevrabon* Vitamin-Mineral Supplement Liquid with a wine flavor; Gevral* Protein Vitamin-Mineral-Protein Supplement Powder; and Gevrine* Vitamin-Mineral-Hormone Capsules.



dry filled sealed capsules a Lederle exclusive, for more rapid and complete absorption!



LEDERLE LABORATORIES DIVISION AMERICAN Cyanamid company PEARL RIVER, NEW YORK


80 CALIFORNIA MEDICINE

In Urinary-Tract Infection ...

the Test

of Effective Therapy

"... there were no relapses in those freed of the initial urinary infection..."



Post-treatment recurrence is common in urinary-tract infection.

With Suspension Sulfose, however, Bohne and Chase¹ report no recurrence: "... no patient returned for additional treatment... 79% were freed of urinary infection..." Infection *controlled*, relapse *prevented*—this is the test of effective therapy.

Suspension SULFOSE offers the advantages of three potentiating sulfonamides in an *alumina-gel base*. Supported by comparative studies, it is a combination for higher and more prolonged blood levels² and maximal renal safety.^{2,3}



Supplied: Suspension Sulfose, bottles of 1 pint. Also available, Tablets Sulfose, bottles of 100 and 1000. Each 5-cc. teaspoonful and tablet contains 0.167 Gm. each of sulfadiazine, sulfamerazine, and sulfamethazine.

1. Bohne, A.W., and Chase, W.E.: Am. J.M. Sc. March, 1956. 2. Berkowitz, D.: Antibiot. & Chemo. 3:618 (June) 1953. 3. Editorial: J.A.M.A. 159:1459 (Dec. 10) 1955.

suspension

SULFOSE

Triple Sulfonamides (Sulfadiazine, Sulfamerazine, Sulfamethazine)



"the <u>Choice</u> of the Profession"

Every month, from coast-to-coast and in other lands, many hundreds of doctors are buying Dallons Ultrasonic apparatus. They have carefully compared the relative merits and have chosen the Medi-Sonar because of its various exclusive advantages. Every model is fully licensed, F.C.C. type-approved and C.S.A.-U/L approved. For descriptive professional literature, case histories and other pertinent information—and name of your nearest dealer—write to

DALLONS LABORATORIES, INC.

5066 Santa Monica Blvd., Los Angeles 29	
Please send Catalog No. D	
Name	
Address	
CityState	
•	OL-37






CLISTIN IN DRUG REACTIONS...URTICARIA...PRURITUS

CLINICAL APPRAISALS OF A NEW ANTIHISTAMINIC CLISTIN MALEATE

"87 per cent reported some relief of their symptoms following the administration of this antihistamine, and in 76 per cent the relief was graded as moderate to complete . . . Undesirable side effects associated with the administration of this antihistaminic agent were infrequent and usually mild in nature."

"Carbinoxamine maleate has as potent antihistamine action and as low an incidence of side-effects as has any other previously employed histamine antagonist."2

"Clistin maleate is a potent antihistaminic drug with only weak sedative properties and should be a useful adjunct in the treatment of allergic conditions."



CLISTIN® MALEATE

(Carbinoxamine Maleate, McNeil)

Dosage forms: Tablets Clistin Maleate, 4 mg.


Tablets Clistin R-A (repeat action), 8 mg.

Elixir Clistin Maleate, 4 mg. per 5 cc.



LABORATORIES, INC. PHILADELPHIA 32, PENNSYLVANIA

- 1. Johnson, H. J., Jr.: Clinical Evaluation of a New Antihistaminic: Clistin Maleate, Amer. Pract. & Digest. Treat. 5:862 (Nov.) 1954.
- 2. Council on Pharmacy & Chemistry: New and Non-official Remedies, 1955, Philadelphia, J. B. Lippincott Co., 1955, p. 8.
- 3. Beale, H. D., et al.: Clistin Maleate. A Clinical Appraisal of a New Antihistaminic, J. Allergy 25:521 (Nov.) 1954.



HE NEEDS AN ORGANOMERCURIAL

In those patients with borderline or very mild congestive heart failure who can even get along without diuretic therapy, any agent producing minimal or intermittent diuresis may appear to produce benefit.

But when cardiac decompensation—mild, moderate, or severe—is established, dependable and continuously effective diuresis—obtainable with potent oral organomercurials—is a therapeutic necessity.



NEOHYDRIN®

BRAND OF CHLORMERODRIN (18.3 MG, OF 3-CHLOROMERCURI-2-METHOXY-PROPYLUREA

EQUIVALENT TO 10 MG, OF NON-IONIC MERCURY IN EACH TABLET)



a standard for initial control of severe failure

MERCUHYDRIN® SODIUM

BRAND OF MERALLURIDE INJECTION

99456



CLASSIFIED ADVERTISEMENTS

Rates for these insertions are \$5 for fifty words or less: additional words 6 cents each

Copy for classified advertisements should be received not later than the tenth of the month preceding issue. • Classified advertisers using Box Numbers forbid the disclosure of their identity. Your inquiries in writing will be forwarded to Box Number advertisers.

CLASSIFIED ADVERTISEMENTS ARE PAYABLE IN ADVANCE

NOTICE

RELIABLE, YOUNG M.D., with good income needs all or part of \$10,000 from private party for purchase of site for medico-dental building. Generous interest, utmost reliability. Box 91,890, California Medicine.

PHYSICIANS WANTED

OPHTHALMOLOGIST—Exceptional opportunity in coast town, Southern California, on salary basis leading to partnership. PATHOLOGIST—Excellent association with outstanding pathologist; \$1,000 month start, future partnership. ADMINISTRATTIVE opening, Eastern location top national pharmaceutical company. ENT association, important group not far from San Francisco. INTERNIST, sub-specialty gastroenterology, Bay Area group. OTOLARYNGOLOGIST, Northern California association, future partnership. PEDIATRICIAN, Southern California coastal town—partnership arrangement starting with salary \$800 up. GENERAL PRACTITIONER, association with busy San Francisco doctor, salary starting \$800 up, future partnership. MANY EXCELLENT OPPORTUNITIES in all SPECIALTIES and GENERAL PRACTICE throughout the WEST. Please contact Norma Rohl, THE MEDICAL CENTER AGENCY, 26 O'Farrell Street, San Francisco, YUkon 2-3412.

WANTED A YOUNG PHYSICIAN, well qualified in medicine. Willing to do obstetrics, and assist F.A.C.S. in surgery. Salary to start and association in one year. New building adjacent to modern hospital in small North. California community. Box 91,570, California Medicine.

AN EVENTUAL PARTNERSHIP will be offered to a general practitioner who is not afraid of hard work and who will be content to make his home in prosperous, fast-growing Southern California desert community. Good hospital facilities available. Knowledge of Spanish desirable. Box 91,830, California Medicine.

YOUNG G.P., NEEDS ASSOCIATE. San Diego area. Percentage at first, full partnership, if satisfactory. Only requirement—humanistic outlook. To begin, May, June, or July, 1956. Box 91,895, California Medicine.

CALIFORNIA LICENSED PHYSICIAN SURGEONS WANTED: Contact us for registration forms and information on our many excellent opportunities in California. Outstanding openings in GENERAL PRACTICE, INDUSTRIAL AND THE SPECIALTIES. . . associations, assistantships, groups, locations for private practice in NORTHERN, CENTRAL AND SOUTHERN CALIFORNIA. PACIFIC COAST MEDICAL BUREAU agy., 703 Market Street, SAN FRANCISCO, or 510 West Sixth Street, LOS ANGELES.

WANTED—Young General Practitioner to associate with physician in small town near Fresno. Box 91,010, California Medicine.

GENERAL PRACTITIONER wanted for an established group-type practice located in Southern California. No capital outlay required. Salary to start—leading to partnership. Salary open. Write full details in first application with expected starting salary. Box 91,030, California Medicine.

YOUNG G.P. INTERESTED IN OB AND PED. to work with G.P. New building close to new hospital in the fast growing community of Lakewood, in Los Angeles County. No equipment or cash outlay needed. 5529 East South Street, Lakewood, California.

SITUATIONS WANTED

DERMATOLOGIST, 31, excellent training, practice experience, wishes location in San Francisco or lower Peninsula area. Interested in part time or full time association with group, individual or clinic, or would share office space and expenses with another physician. Available soon. Box 91,900, California Medicine.

DERMATOLOGIST, BOARD CERTIFIED, AGE 30, interested in association with established dermatologist in Southern California area, preferably in Los Angeles. Box 91,020, California Medicine.

DERMATOLOGIST, completing residency in California July 1, 1956, desires association with dermatologist, or group, or office space in Southern California. California license. Category IV, age 37, Box 91,065, California Medicine.

GENERAL PRACTITIONER, 4 years experience U.S.N. (2), self employed (2). Part time or full time, evenings, nights, or/and weekends. Industrial, office, hospital, or emergency. Are bounded by and including San Diego, Santa Ana, and Newport Beach. Locum tenems, 1 or 2 week periods, May through October. Box 91,055, California Medicine.

4,000 PEOPLE AND NO PHYSICIAN in the Planada Le Grand area near Merced, California. Lovely home and offices available, unusually reasonable. Fine local cooperation and publicity. Best for younger man. Knowledge of Spanish helpful. For full information write B. D. Innes, P. O. Box 1471, Merced, California.

INTERNIST: Certified, age 34, family, Veteran World War II and Korean War. Special training and interest in diabetes, endocrinology. Qualified to use radioisotopes in diagnosis and therapy. California license. Presently in full-time hospital and teaching position. Seeks opportunity for clinic group or practice association. Box 91,005, California Medicine.

INTERNIST, 36. MARRIED. Board Certified. Public Health and teaching experience. Recently completed obligated service. Desires location for individual practice or association with individual or group. Box 91,035, California Medicine.

INTERNIST-BOARD CERTIFIED, 35, family, four children, university trained, emphasis cardiopulmonary, metabolic, endocrinology, gastroenterology, infectious disease, Chief, Medical Service, 250 and 500 bed USAF hospitals, leaving military service, desires permanent location, affiliation established group, associate private practice opportunity. Also interested part-time teaching. Box 91,060, California Medicine.

OPHTHALMOLOGIST—33, Board Eligible. Taking second part of Eye Boards in June. California License. University Hospital training. Wishes to investigate opportunities in June. Box 91,040, California Medicine.

PEDIATRICIAN, AGE 29, family, category IV, California license. University Medical Center training to be completed July, 1956. Desires group or association in California or Pacific Northwest. Box 91,865, California Medicine.

RADIOLOGIST—35, COMPLETELY CERTIFIED, including isotopes, Category IV. Married, family. Desires contract smaller hospital, or association with Radiology group. Have had University and private hospital experience. California license. Box 91,840, California Medicine.

GENERAL SURGEON, 36, Certified American Board of Surgery, Category, IV, California license and DNB. Married with family, desires association with another surgeon or group. Experienced Traumatic and Industrial Surgery. Seeking permanent position with future. Available for interview. Box 91,795, California Medicine.


GENERAL SURGEON, 34, married, certified by American Board, F.A.C.S., Priority Group IV, desires association with industrious individual or group. California license. Completing federal service, available immediately. P. O. Box 3324, Temple, Texas.

UROLOGIST—49 years old, wishes to locate in California. California license. Box 91,805, California Medicine.

(Continued on Page 94)

Plan now to attend your own medical meeting
CALIFORNIA MEDICAL ASSOCIATION
ANNUAL SESSION

Los Angeles—April 29-May 2, 1956



tablets

'V-Cillin-Sulfa'

...combine the superior oral penicillin and three sulfonamides

'V-Cillin-Sulfa' provides you greater control over a wider range of microorganisms. 'V-Cillin' (Penicillin V, Lilly) and sulfas used concurrently produce faster and more effective antibacterial action in certain infections. In general, the combination is most beneficial in mixed infections, infections due to bacteria only moderately susceptible to either agent, and conditions in which bacterial resistance might develop.


The much higher penicillin blood levels produced by 'V-Cillin' and the effectiveness and safety of the triple sulfas make 'V-Cillin-Sulfa' your most valuable preparation of its type.

DOSAGE: 1 to 2 tablets q.i.d.

SUPPLIED: Each tablet provides 125 mg. (200,000 units) 'V-Cillin' plus 0.5 Gm. sulfas—equal parts of sulfadiazine, sulfamerazine, and sulfamethazine.

633030

ELI LILLY AND COMPANY . INDIANAPOLIS 6, INDIANA, U.S.A.



the plans for the offices in which you are located was not completely concerned with how the tenant would make use of the space.


That, of course, was left to your planning, and only you know enough of the "anatomy" of your practice to decide which furnishings and instruments are needed.

When electrocardiographs and/or metabolism testers are considered as examining aids, their inclusion in the specifications of a plan to build for better diagnosis is an important decision.

To help you determine the value of these instruments, we will gladly arrange for you to include either or both of them in your "floor plan" during a no-obligation-to-you trial period. This will give you an opportunity to judge them from your own point of view before the final "blueprint" is drawn and purchase is made.

When you plan with Sanborn you receive extra benefits that can come only from a direct-to-user policy. The interest in and responsibility towards you as the user is with Sanborn Company instead of an intermediate source.


Write for descriptive literature on the Viso-Cardiette and/or Metabulator



Cambridge 39, Mass

Los Angeles Branch Office 670 North Normandie Ave., Normandy 4-2302 SAN FRANCISCO Branch Office 2310 Irving St., Lombard 4-1900

IN URINARY TRACT INFECTIONS



sensitivity studies suggest

FURADANTIN'S "broad spectrum of antibacterial and antiprotozoal activity in vitro" makes it important to include this agent, routinely, in sensitivity tests. Organisms commonly resistant to most of the antibiotics, notably Proteus and Pseudomonas, are often inhibited by FURADANTIN.²

"... may be unique as a wide-spectrum antimicrobial agent that is bactericidal, relatively nontoxic, and does not invoke resistant mutants."3



clinical cures confirm

"Clinical studies have demonstrated rapid clinical response of cases of cystitis, prostatitis, and pyelonephritis."4

Typical Timetable of Furadantin Effectiveness In 30 minutes, antibacterial concentrations in urine.


In 24 hours, turbid urine is usually clear. In 3 to 5 days, most patients are symptom-free and the urine is free of pus cells. In one week, the urine is usually sterile.

SUPPLIED: Tablets, 50 and 100 mg., bottles of 25 and 100.

Oral Suspension, 5 mg., per cc., bottle of 118 cc.

REFERENCES: 1. Mintzer, S., et al.: Antiblotics 3:151, 1953. 2. Felton, F. C., and Kemp, A. P.: J. Urol. 73:718, 1955. 3. Waisbren, B. A., and Crowley, W.: A.M.A. Arch. Int. M. 95:653, 1955. 4. Flippin, H. F., and Elsenberg, G. M.: Antimicrobial Therapy in Medical Practice, Philadelphia, F. A. Davis Company, 1955, p. 40.

NITROFURANS a new class of antimicrobials neither antibiotics nor sulfas EATON LABORATORIES, Norwich, N.Y. ,,,,,,,,,



'Co-Hydeltra' Prednisolone Buffered



Philadelphia 1, Pa. DIVISION OF MERCK & Co., INC. **Supplied:** Multiple Compressed Tablets of 'Co-Deltra' and 'Co-Hydeltra', each containing 5 mg. prednisone or prednisolone, 300 mg. of dried aluminum hydroxide gel, U.S.P., and 50 mg. of magnesium trisilicate, U.S.P., bottles of 30 tablets.

'Co-Deltra' and 'Co-Hydeltra' are the trademarks of MERCK & Co., INC.

more than 42,000,000 doses of ACTH have been given



Unsurpassed in safety and efficacy

In a series of patients treated continuously with Armour ACTH for at least 5½ years¹...

- Each responded with a maintained increase in cortical function
- Major and minor surgical and obstetrical procedures caused no incidents
- Sudden discontinuance of ACTH did not provoke a crisis



...and HP*ACTHAR Gel should be used routinely to minimize adrenal suppression and atrophy in patients treated with prednisone, prednisolone, hydrocortisone and cortisone.

HP*ACTHAR Gel is the most widely used ACTH preparation 'Highly purified

1. Wolfson, W. Q.: Mississippi Valley M. J. 77: 66, 1955.



THE ARMOUR LABORATORIES
A DIVISION OF ARMOUR AND COMPANY • KANKAKEE, ILLINOIS

CLASSIFIED ADVERTISEMENTS

(Continued from Page 88)

RESIDENTS WANTED

GENERAL PRACTICE, 2-year, Rotating Residencies available July 1, 1956, in fully accredited 400-bed hospital. \$6,000 per annum. Nine residents receive excellent training in all major services, including large outpatient clinics. Requires citizenship and California license. Apply: Medical Director, Stanislaus County Hospital, 830 Scenic Drive, Modesto, California.

MEDICAL RESIDENCY: Openings July 1, 1956, in 1st, 2nd, and 3rd year program of fully approved three-year Residency in Internal Medicine; 800-bed University-affiliated county general hospital. Apply L. A. West, M.D., Medical Director, Los Angeles County Harbor General Hospital, 1124 West Carson St., Torrance, California.

PROFESSIONAL AND TECHNICAL AIDES

LABORATORY TECHNICIAN WANTED—Male, State license (or eligible to take examination) . . . some X-Ray work (can be learned on the job), 40 hour week, with some call. Start at \$350.00 a month, with increase after six months if fully satisfactory. Write the Visalia Clinical and X-Ray Laboratories, 220 West Willow Street, Visalia, California.

PRACTICES FOR SALE

ACTIVE GENERAL PRACTICE AVAILABLE. Fully equipped offices of deceased physician and surgeon, established 30 years. Excellent opportunity for young physician. Box 91,015, California Medicine.

GENERAL PRACTICE AVAILABLE SOON. Established 10 years. Leaving for residence training. Contact R. C. Jamison, M.D., 2709 Marconi Avenue, Sacramento 21, California.

APPARATUS, ET CETERA, FOR SALE

SURPLUS FROM PRACTICE PURCHASE. Large wall-bracket Rico infrared lamp, nearly new, \$25.00. Full-spectrum \$325.00. Hanovia ultra-violet lamp, fine condition, \$175.00. "Kompak" Baumanometer, originally \$34.50, like new \$25.00. Leitz-Ruoy 22-test colorimeter cost \$202.00, almost unused, \$150.00. In need of repair—make offer: "Cardiotron" electrocardiograph. Box 91,050, California Medicine.

OFFICES FOR RENT OR LEASE

FOR RENT—Location for specialist in growing community in centrally located Medical Building in suburban metropolitan area of Oakland, California. Excellent opportunity for dermatologist, neurosurgeon, obstetrician-gynecologist, orthopod, otolaryngologist, pathologist, pediatrician, radiologist, urologist. Reasonable rent. Now available. San Leandro Medical Building Co., 1556 Leonard Drive, San Leandro, California. TRinidad 2-9200.

BAKERSFIELD, ONE STORY MODERN AIRCONDITIONED, one suite now available, approximately 25 sq. ft., utilities, janitor and gardener furnished. Other tenants all specialists. Clinical laboratory in building. Blueprint copy on request. Box 91,025, California Medicine.

OFFICE FOR RENT OR LEASE, San Francisco Bay Area, San Anselmo, Marin County. Completely furnished, waiting, receptionist's, consultation, and examining rooms. Excellent location for general practice of Internist. Box 91,045, California Medicine.

FOR RENT—LOCATION FOR M.D. Attractive newly decorated office in fast growing community, within a short distance of an air force base and on the edge of a busy shopping center. This office may be leased or rented by the month. For more information write, Fair Oaks, Realty, Fair Oaks, California, or call IVanhoe 9-5935 at Sacramento, California.

(Continued on Page 98)

HOW VACISEC LIQUID

PENETRATES

RECESSES OF VAGINA
AND EXPLODES
TRICHOMONADS
OFTEN MISSED

Photomicrograph of section of epithelium of normal vaginal mucosa, enlarged 750 times, shows uneven surface where trichomonads bide. Vagishe penetrates surface and explodes organisms in hard-to-reach areas.

Too OPTEN AN ORDINARY trichomonacide fails to cure vaginal trichomoniasis because it has little or no effect on parasites that are not on the surface. Trichomonads burrowed deeply into the roughened mucosa survive and set up new foci of infection. In fact, even a few hidden trichomonads remaining after treatment can cause acute exacerbations. With Vagishe® liquid and jelly you can overcome this most troublesome problem.

Penetrates thoroughly — This new and unique trichomonacide spreads out and wets the entire vaginal surface. It rapidly dissolves mucinous materials, fats and blood clots.¹ It penetrates the cellular debris that lines the vaginal walls and shields the parasites, reaching trichomonads deep in their hiding places. Explodes trichomonads — Vacisec liquid actually explodes trichomonads within 15 seconds after douche contact.² Two surface-acting agents and one chelating agent combine to weaken the cell membrane, to remove the waxes and lipids, and to denature the protein. With its cell wall destroyed, the parasite imbibes water, swells and explodes. All this occurs within 15 seconds. Only scattered fragments remain.

Proves highly effective — With the Davis techniquet you can now rid patients of "trich," even cases that have resisted other treatment. VAGISEC liquid was developed as "Carlendacide," by Dr. Carl Henry Davis, M.D., noted gynecologist and author, and C. G. Grand, research physiologist. Clinical trials by more than 150 physicians show better than 90 per cent success.

Use liquid and jelly—In the Davis technique, VAGISEC liquid is used in office therapy. At the same time, liquid and jelly are prescribed for home use. They are well tolerated, leave no messy discharge or stain.

Office treatment — Expose vagina with speculum and wipe walls dry with cotton balls. Then wash thoroughly with a 1:250 dilution of VAGISEC liquid. Remove excess fluid with cotton balls. Dr. Davis recommends six treatments.

Home treatment—Patient douches with VAGISEC liquid every night or morning and then inserts VAGISEC jelly. Home treatment is continued through two menstrual periods, but omitted on office treatment days. Douching contraindicated in pregnancy.



One course of treatment—"If the treatment has been accomplished as directed," the patient "will have no flagellates provided the infection was limited to the vaginal canal... A few women have infected cervical, vestibular or urethral glands and require other types of treatment." Continued douching with VAGISBC liquid two or three times each week for eight to twelve weeks helps prevent re-infection.

Prevents coital re-infection — Infected husbands are "...a potential source of re-infection in wives successfully treated." Prescribe for your patients the protection afforded by Schmid high quality condoms. Specify the superior RAMSES® rubber prophylactic, transparent, tissue-thin, yet strong. If there is anxiety that rubber might dull sensation, prescribe XXXX (FOUREX)® prophylactic skins, of natural animal membrane, pre-moistened.

Active ingredients in Vacuuc liquid: Polyoxyethylene nonyl phenol, Sodium ethylene diamine tetra-acetate, Sodium dioctyl sulfesuccinate. In addition, Vacuuc jelly contains Boric acid, Alcohol 5% by weight.


References: 1. Davis, C. H., and Grand, C. G.: Am. J. Obst. & Gynec. 68:559 (Aug.) 1954. 2. Davis, C. H.: J.A.M.A. 157:126 (Jan. 8) 1955. 3. Davis, C. H.: West. J. Surg. 63:53 (Feb.) 1955. 4. Davis, C. H. (Ed.): Gynecology and Obstetrics (revision), Hagerstown, W. F. Prior, 1955, vol. 3, chap. 7, pp. 23-33. 5. Lanceley, F., and McEntegart, M. C.: Lancet 1:668 (Apr. 4) 1953.

JULIUS SCHMID, INC.

gynecological division

423 West 55th Street, New York 19, N. Y.

VAGISEC, RAMSES and XXXX (FOUREX) are registered trade-marks of Julius Schmid, Inc. †Pat. App. for





ACHROMYCIN

Tetracycline Lederle

in the treatment of

respiratory infections

January and his associates¹ have written on the use of tetracycline (ACHROMYCIN) to treat 118 patients having various infections, most of them respiratory, including acute pharyngitis and tonsillitis, otitis media, sinusitis, acute and chronic bronchitis, asthmatic bronchitis, bronchiectasis, bronchial pneumonia, and lobar pneumonia. Response was judged good or satisfactory in more than 84% of the total cases.

Each month there are more and more reports like this in the literature, documenting the great worth and versatility of ACHROMYCIN. This antibiotic is unsurpassed in range of effectiveness. It provides rapid penetration, prompt control. Side effects, if any, are usually negligible.

No matter what your field or specialty, ACHROMYCIN can be of service to you. For your convenience and the patient's comfort, Lederle offers a *full* line of dosage forms, including

ACHROMYCIN SF

ACHROMYCIN with STRESS FORMULA VITAMINS. Attacks the infection—defends the patient—hastens normal recovery. For severe or prolonged illness. Stress formula as suggested by the National Research Council. Offered in Capsules of 250 mg. and in an Oral Suspension, 125 mg. per 5 cc. teaspoonful.



For more rapid and complete absorption. Offered only by Lederle!

dry filled sealed capsules

Each ACHROMYCIN SF CAPSULE contains:

ACHROMYCIN Tetracycline	250 mg.
Ascorbic Acid (C)	75 mg.
Thiamine Mononitrate (B ₁)	2.5 mg.
Riboflavin (B ₂)	2.5 mg.
Niacinamide	25 mg.
Pyridoxine (B ₆)	0.5 mg.
Folic Acid	0.375 mg
Calcium Pantothenate	. 5 mg.
Vitamin K (Menadione)	0.5 mg
Vitamin B ₁₂	1 mcgm.

¹January, H. L. et al: Clinical experience with tetracycline. *Antibiotics Annual* 1954-55, p. 625.



LEDERLE LABORATORIES DIVISION

AMERICAN CYANAMID COMPANY

PEARL RIVER, NEW YORK

*REG. U.S. PAT. OFF.

PHOTO DATA: 4X5 VIEW CAMERA, F5.6, 1/25 SEC., EXISTING LIGHTING AT DUSK, ROYAL PAN FILM.

CLASSIFIED ADVERTISEMENTS

(Continued from Page 94)

OFFICES FOR RENT OR LEASE (Continued)

FOR RENT—Sacramento, California. Central location, 1:000 sq. ft., ground floor, 8 rooms. Very fine for general or specialty practice. Pully equipped, except X-Ray and Cardiograph. Adequate parking. Reasonable rent on lease. Large list of patients. Write or telephone Gilbert Clark, M.D., Kaiser Hospital, Vallejo, California.

FOR RENT—IDEAL M.D.'s OFFICE of 1,000 sq. ft. Well equipped. Has 6 rooms nicely arranged. Good equipment and furnishings for sale with office. Easy terms. This Coast area is crying for another clinic. Little competition. Pictures sent. Terms to suit beginner. Write Deans Realty, Encinitas, California.

FOR RENT: Prominent corner, used for 24 years by doctors. Suitable for dentist. Three large rooms hot and cold water. Car passes every two seconds on average. Adjoining lot is landscaped, making this corner stand our prominently. Population 33,000. S. M. Mann, M.D. (Retired), 10 East Fifth Street, National City, California.

REAL ESTATE FOR SALE

FOR SALE—FULLY EQUIPPED OFFICE for general practice, located in the fastest growing area of Orange County, California. Very low rent. Reason—sudden illness. Box 91,820, California Medicine.

California Medical Association Annual Session Meetings and Entertainment Ambassador Hotel, Los Angeles

SUNDAY, APRIL 29

Woman's Auxiliary to the California Medical Association Reception—East and West Venetian rooms—6:00-8:00 p.m.— Honoring Mrs. Sidney J. Shipman, wife of the President of the C.M.A. All doctors and their wives are cordially invited. California Society of Allergy Reception and Dinner — Nordic Room, Beverly-Hilton Hotel, Beverly Hills, 6:30 p.m. Medical Assistants Luncheon—Lido Room, 12:15 p.m.

Orthopedic Section Lunchean-Dolphin Court, 12:15 p.m.

MONDAY, APRIL 30

President's Dinner Dance—Cocoanut Grove, 8:00 p.m. Formal dress, optional. Tickets will be on sale in the main lobby of the hotel.

C.M.A. Past Presidents' Lunch-Dolphin Court, 12:15 p.m.

Alumni-Faculty Association of the U. C. School of Medicine Luncheon-Lido Patio, 12:15 p.m.

California Society of Allergy Luncheon—Regency Room, 12:15 p.m.

TUESDAY, MAY 1

Bureau of Medical Economics—Grove Lounge, 10:00 a.m. Woman's Auxiliary Luncheon—Cocoanut Grove, 12:30 p.m.—Honoring Mrs. Matthew N. Hosmer, Mrs. Paul Blaisdell, Past State Presidents, and members of the State Advisory Board. For tickets inquire at the Woman's Auxiliary Registration Desk.


State Board of Health-Regency Room, 9:00 a.m.


California Chapter of the American Academy of Pediatrics—Meeting and dinner, West Venetian Room and Venetian Room Foyer, 6:30 p.m.

WEDNESDAY, MAY 2

Joseph Chiarello, Ph.G. • Phone HOllywood 4-7116 • 1518 N. Western Ave. at Sunset • Los Angeles 27 Telephone LAkehurst 2-3232 • 1223 Park Street • Alameda, Calif.

Bureau of Medical Economics—Garden Room, 10:00 a.m. California Society of Anesthesiology—Grove Lounge, 1:00 p.m.





"strong muscle vasodilator activity and an adequate increase in cardiac output"1

"safe vasodilative agent of minimal toxicity and optimal tolerance"2 in intermittent claudication diabetic vascular disease Raynaud's disease thromboangiitis obliterans ischemic ulcers night leg cramps

ARLIDIN dilates peripheral blood vessels in distressed muscles, relaxes spasm, increases both cardiac and peripheral blood flow...to send more blood where more blood is needed.

dose: 1 tablet t.i.d. or q.i.d. bottles of 50, 100 and 1000.



arlidin* нсі

brand of nylidrin hydrochloride tablets 6 mg.

- Pomeranze, J. et al.: Angiology, June, 1955.
 Freedman, L.: Angiology 6:52, Feb. 1955.

Write for samples and literature

arlington-funk laboratories

division of U. S. Vitamin Corporation 250 East 43rd Street, New York 17, N.Y.

*Trade Mark

Each tablet provides 6 mg. Nyllidrin HCI (phenyl-1-butyl norsuprifen HCI)



CALIFORNIA MEDICINE

A new **MEAD** specialty for all ages

By reducing surface tension

Colace

softens stools

without adding bulk

Colace

Colace

normalizes fecal mass

Colace

DIOCTYL SODIUM SULFOSUCCINATE, MEAD

non-laxative stool softener ...does not add bulk

Colace, a surface active agent, increases the wetting efficiency of water in the colon. By this physical action, without adding bulk, Colace (a) allows fecal material to retain enough water to produce soft, formed stools, and (b) permits water to penetrate and soften hard, dry feces.¹

The action of Colace takes place gently and gradually. Stools can usually be passed normally and without difficulty one to three days after oral administration is begun. No toxicity or undesired side-effects have been reported in prolonged clinical use.

Indications: All medical, surgical, obstetric, pediatric and geriatric patients who will benefit from soft stools.

Usual dosage: Adults and older children: 1 Colace Capsule 1 or 2 times daily. Children 3 to 6 years 1 cc. Colace Liquid 1 to 3 times daily. Infants and children under 3 years: ½ to 1 cc. Colace Liquid 2 times daily. Dosage may be increased if necessary. Give Colace Liquid in ½ water glass of milk or fruit juice.

COLACE Capsules, 50 mg., bottles of 30. COLACE Liquid (1% Solution) 30-cc. bottles with calibrated dropper.

(1) Wilson, J. L., and Dickinson, D. G.: J. A. M. A. 158: 261, 1955.







SYMBOL OF SERVICE IN MEDICINI

MEAD JOHNSON & COMPANY . EVANSVILLE 21, INDIANA, U.S.A.

...IN AREAS OF





EXPOSURE...



Polio Immune Globulin is the product of choice for passive immunization against paralytic poliomyelitis. At Cutter, only freshly pooled, adult venous blood is fractionated for gamma globulin. High antibody level is assured, for each vial is tested in accordance with the U.S.P.H.S. specification for poliomyelitis antibody content. Each 2 cc. vial contains the antibody equivalent of 40 cc. of original normal serum. Passive protection against paralytic poliomyelitis appears greatest beginning with the second week after injection and decreases by the end of the fifth week.

Polio Immune Globulin/Cutter is also recommended for

- prevention or modification of measles, including maternal rubella.
- prophylaxis of infectious hepatitis:
- treatment of herpes zoster.
- treatment of agammaglobulinemia and hypogammaglobulinemia.

POLIO
IMMUNE
GLOBULIN/
CUTTER

